This list is for the codes only. Use this list to give to the IT programmers. The long version has additional explanations and notes for many of the codes.

COMPREHENSIVE ICD-9-CM CASEFINDING CODE LIST FOR REPORTABLE TUMORS (EFFECTIVE		
DATE: 1/1/2010)^		
ICD-9-CM Code^	Explanation of Code	
140.0 – 209.36	Malignant Neoplasms	
209.70 - 209.79	Secondary neuroendocrine tumors	
225.0 - 225.9	Benign neoplasm of brain and spinal cord neoplasm	
227.3 – 227.4	Benign neoplasm of pituitary gland, craniopharyngeal duct (pouch) and pineal gland	
227.9	Benign neoplasm; endocrine gland, site unspecified	
228.02	Hemangioma; of intracranial structures	
228.1	Lymphangioma, any site	
230.0 - 234.9	Carcinoma in situ	
236.0	Endometrial stroma, low grade	
237.0 – 237.9	Neoplasm of uncertain behavior [borderline] of endocrine glands and	
	nervous system	
238.4	Polycythemia vera	
238.6 – 238.79	Other lymphatic and hematopoietic tissues	
239.6 – 239.89	Neoplasms of unspecified nature	
273.2	Other paraproteinemias	
273.3	Macroglobulinemia	
288.3	Eosinophilia	
288.4	Hemophagocytic syndromes	
795.06	Papanicolaou smear of cervix with cytologic evidence of malignancy	
795.16	Papanicolaou smear of vagina with cytologic evidence of malignancy	
796.76	Papanicolaou smear of anus with cytologic evidence of malignancy	
V10.0 – V10.91	Personal history of malignancy	
V12.41	Personal history of benign neoplasm of the brain	

The following codes are not reportable per se, but they should alert registrars to look for the first malignant neoplasm associated with these codes.

SUPPLEMENTARY LIST #1-ICD-9-CM CODES THAT SHOULD BE FOLLOWED BY or ASSOCIATED WITH A NEOPLASM CODE ^		
ICD-9-CM Code^	Explanation of Code	
258.02 - 258.03	Multiple endocrine neoplasia (MEN) type IIA and IIB	
285.22	Anemia in neoplastic disease	
289.83	Myelofibrosis (NOS) (9961/3)	
338.3	Neoplasm related pain (acute, chronic); Cancer associated pain	
511.81	Malignant pleural effusion (code first malignant neoplasm if known).	
789.51	Malignant ascites (code first malignant neoplasm if known).	

NOTE: Cases with these codes should be screened as registry time allows. These are neoplasm-related secondary conditions for which there should also be a primary diagnosis of a reportable neoplasm.

SUPPLEMENTARY LIST #2-ICD-9-CM CODE LIST TO SCREEN FOR CANCER CASES		
NOT IDENTIFIED BY OTHER CODES (EFFECTIVE DATE: 1/1/2010)^		
ICD-9-CM Code^	Explanation of Code	
042	Acquired Immunodeficiency Syndrome (AIDS)	
079.4	Human papillomavirus	
079.50 - 079.59	Retrovirus (HTLV, types I, II and 2)	
209.40 - 209.69	Benign carcinoid tumors	
210.0 - 229.9	Benign neoplasms (except for 225.0-225.9, 227.3, 227.4, 227.9, 228.02,	
	and 228.1, which are listed in the Reportable list)	
235.0 – 236.6,	Neoplasms of uncertain behavior (except for 236.0, 238.4, 238.6, 238.71-	
238.0-239.9	238.79, 239.6, 239.7, 239.81 and 239.89, which are listed in the	
	Reportable list)	
253.6	Syndrome of inappropriate secretion of antidiuretic hormone	
259.2, 259.8	Other Endocrine disoders	
273.0 – 273.1,	Disorders of plasma protein metabolism	
273.9		
275.42	Hypercalcemia	
277.88	Tumor lysis syndrome following antineoplastic drug therapy	
279.00, 279.02 –	Disorders involving the immune mechanism	
279.06		
279.10, 279.12- 279.13	Deficiency of cell-mediated immunity	
279.2 – 279.9	Combined immunity deficiency	
284.81 – 284.9	Other and unspecified aplastic anemias	
285.0, 285.3	Other and unspecified anemias	
288.03	Drug induced neutropenia	
289.89	Other specified diseases of blood and blood-forming organs	
323.81	Encephalomyelitis; specified cause NEC	
379.59	Opsoclonia	
528.01	Mucositis due to antineoplastic therapy	
630	Hydatidiform Mole	
686.01	Pyoderma gangrenosum	
695.89	Sweet's syndrome	
701.2	Acanthosis nigricans	
710.3 – 710.4	Diseases of connective tissue	
785.6	Enlargement of lymph nodes	
790.93	Elevated prostate specific antigen [PSA]	
795.8	Abnormal tumor markers; Elevated tumor associated antigens [TAA];	
	Elevated tumor specific antigens [TSA];	
	Excludes: Elevated prostate specific antigen [PSA] (790.93)	

SUPPLEMENTARY LIST #2-ICD-9-CM CODE LIST TO SCREEN FOR CANCER CASES		
NOT IDENTIFIED BY OTHER CODES (EFFECTIVE DATE: 1/1/2010)^		
ICD-9-CM Code^	Explanation of Code	
795.81 – 795.89	Abnormal tumor markers	
999.31	Infection due to central venous catheter (porta-cath)	
999.81	Extravasation of vesicant chemotherapy	
E879.2	Adverse effect of radiation therapy	
E930.7	Adverse effect of antineoplastic therapy	
E933.1	Adverse effect of immunosuppressive drugs	
V07.31, V07.39	Other prophylactic chemotherapy	
V07.8	Other specified prophylactic measure	
V12.72	History of colonic polyps	
V15.3	Irradiation: previous exposure to therapeutic or ionizing radiation	
V42.81 – V42.82	Organ or tissue replaced by transplant, Bone marrow transplant	
V51.0	Encounter for breast reconstruction following mastectomy	
V52.4	Breast prosthesis and implant	
V54.2	Aftercare for healing pathologic fracture	
V58.0 – V58.12	Encounter for radiation and chemotherapy	
V58.42	Aftercare following surgery for neoplasm	
V66.1 – V66.2	Convalescence following radiotherapy and/or chemotherapy	
V67.1 – V67.2	Radiation and chemotherapy follow up	
V71.1	Observation for suspected malignant neoplasm	
V76.0 – V76.9	Special screening for malignant neoplasm	
V78.0 - V78.9	Special screening for disorders of blood and blood-forming organs	
V82.71	Screening for genetic disease carrier status	
V82.79	Other genetic screening	
V82.89	Genetic screening for other specified conditions	
V82.9	Genetic screening for unspecified condition	
V84.01 - V84.09	Genetic susceptibility to malignant neoplasm	
V84.81	Genetic susceptibility to multiple endocrine neoplasia [MEN]	
V86.0 - V86.1	Estrogen receptor status	
V87.41	Personal history of antineoplastic chemotherapy	

[^] International Classification of Diseases, Ninth Revision, Clinical Modification, 2009.