

Table A-1

NUMBER OF INCIDENCE CASES, 1990-94By Primary Cancer Site, Race and Sex
SEER Geographic Areas

Site	All Races			Whites			Blacks		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Oral & Pharynx	13,731	9,361	4,370	11,216	7,565	3,651	1,446	1,061	385
Esophagus	5,120	3,753	1,367	3,936	2,865	1,071	926	670	256
Stomach	10,143	6,273	3,870	7,365	4,575	2,790	1,230	781	449
Colon & Rectum	63,311	32,091	31,220	53,625	27,116	26,509	5,316	2,540	2,776
Colon	46,113	22,382	23,731	39,038	18,896	20,142	4,118	1,898	2,220
Rectum	17,198	9,709	7,489	14,587	8,220	6,367	1,198	642	556
Liver & Intrahep	4,628	3,089	1,539	3,133	2,054	1,079	516	365	151
Pancreas	12,272	5,920	6,352	10,084	4,819	5,265	1,367	655	712
Larynx	5,302	4,245	1,057	4,378	3,505	873	721	576	145
Lung & Bronchus	75,617	45,114	30,503	63,846	37,524	26,322	7,776	5,019	2,757
Melanomas of skin	16,402	9,023	7,379	15,427	8,526	6,901	78	40	38
Breast	79,386	550	78,836	68,171	456	67,715	6,247	52	6,195
Cervix uteri	6,075	-	6,075	4,593	-	4,593	838	-	838
Corp & Uter, NOS	15,138	-	15,138	13,309	-	13,309	871	-	871
Ovary	10,671	-	10,671	9,291	-	9,291	676	-	676
Prostate	91,860	91,860	-	75,885	75,885	-	9,156	9,156	-
Testis	3,367	3,367	-	3,115	3,115	-	56	56	-
Urinary bladder	22,997	16,941	6,056	20,907	15,475	5,432	1,023	664	359
Kidney & Renal pel	11,770	7,202	4,568	10,089	6,144	3,945	1,061	649	412
Brain & Oth Nerv	7,805	4,336	3,469	6,951	3,865	3,086	443	229	214
Thyroid	6,688	1,771	4,917	5,507	1,497	4,010	380	97	283
Hodgkin's disease	3,605	1,941	1,664	3,123	1,688	1,435	339	178	161
Non-Hodgkin's lymph	20,954	11,699	9,255	18,145	10,037	8,108	1,393	868	525
Multiple myeloma	6,096	3,229	2,867	4,751	2,545	2,206	961	473	488
Leukemias	13,326	7,532	5,794	11,442	6,514	4,928	941	502	439
Acute lymph	1,580	917	663	1,313	776	537	109	54	55
Chronic lymph	4,031	2,337	1,694	3,579	2,087	1,492	259	145	114
Acute myeloid	3,415	1,792	1,623	2,913	1,551	1,362	238	110	128
Chronic myeloid	1,907	1,091	816	1,596	906	690	175	105	70
All others	2,393	1,395	998	2,041	1,194	847	160	88	72
All Sites	545,642	290,334	255,308	461,171	243,307	217,864	47,464	26,628	20,836

Source: SEER Program.

Table A-2

NUMBER OF DEATHS, 1990-94

By Primary Cancer Site, Race and Sex
United States

Site	All Races			Whites			Blacks		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Oral & Pharynx	40,944	27,206	13,738	33,658	21,779	11,879	6,360	4,769	1,591
Esophagus	51,190	38,294	12,896	40,683	30,556	10,127	9,815	7,183	2,632
Stomach	69,346	41,176	28,170	55,315	32,886	22,429	11,255	6,674	4,581
Colon & Rectum	285,724	141,448	144,276	251,368	124,980	126,388	30,483	14,404	16,079
Colon	247,096	120,558	126,538	217,297	106,540	110,757	26,658	12,382	14,276
Rectum	38,628	20,890	17,738	34,071	18,440	15,631	3,825	2,022	1,803
Liver & Intrahep	47,399	28,790	18,609	38,550	23,088	15,462	5,856	3,644	2,212
Pancreas	129,962	62,832	67,130	112,423	54,494	57,929	15,565	7,320	8,245
Larynx	19,589	15,505	4,084	15,915	12,558	3,357	3,512	2,816	696
Lung & Bronchus	728,641	458,238	270,403	642,871	399,616	243,255	77,034	52,939	24,095
Melanomas of skin	32,828	20,149	12,679	32,147	19,841	12,306	547	234	313
Breast	218,786	1,554	217,232	191,652	1,320	190,332	24,544	220	24,324
Cervix uteri	22,966	-	22,966	17,272	-	17,272	4,989	-	4,989
Corp & Uter, NOS	30,276	-	30,276	25,342	-	25,342	4,565	-	4,565
Ovary	65,145	-	65,145	59,162	-	59,162	5,080	-	5,080
Prostate	169,943	169,943	-	141,073	141,073	-	27,269	27,269	-
Testis	1,786	1,786	-	1,665	1,665	-	93	93	-
Urinary bladder	53,583	35,990	17,593	48,905	33,374	15,531	4,252	2,349	1,903
Kidney & Renal pel	51,611	31,461	20,150	46,429	28,315	18,114	4,515	2,731	1,784
Brain & Oth Nerv	59,829	32,455	27,374	55,676	30,241	25,435	3,434	1,809	1,625
Thyroid	5,355	1,933	3,422	4,716	1,754	2,962	452	131	321
Hodgkin's disease	7,910	4,506	3,404	7,027	3,968	3,059	801	479	322
Non-Hodgkin's lymph	100,385	51,979	48,406	92,658	47,746	44,912	6,295	3,416	2,879
Multiple myeloma	47,230	23,902	23,328	38,869	19,792	19,077	7,823	3,820	4,003
Leukemias	96,784	53,101	43,683	87,122	47,849	39,273	8,171	4,395	3,776
Acute lymph	7,153	4,035	3,118	6,324	3,572	2,752	636	356	280
Chronic lymph	19,763	11,375	8,388	17,989	10,312	7,677	1,717	1,033	684
Acute myeloid	27,188	14,573	12,615	24,599	13,244	11,355	2,050	1,021	1,029
Chronic myeloid	11,594	6,456	5,138	10,141	5,664	4,477	1,238	665	573
All others	31,086	16,662	14,424	28,069	15,057	13,012	2,530	1,320	1,210
All Sites	2,604,650	1,375,272	1,229,378	2,273,258	1,192,382	1,080,876	293,166	162,152	131,014

Source: NCHS public use tape.

Table A-3

SEER Recode for Primary Site based on ICD-O-2

Primary Site	Site/Type	Excluding Type
Buccal cavity and pharynx		
Lip	C000:C009	M-9590:9989
Tongue	C019:C029	M-9590:9989
Salivary glands	C079:C089	M-9590:9989
Floor of mouth	C040:C049	M-9590:9989
Gum and other mouth	C030:C039,C050:C059,C060:C069	M-9590:9989
Nasopharynx	C110:C119	M-9590:9989
Tonsil	C090:C099	M-9590:9989
Oropharynx	C100:C109	M-9590:9989
Hypopharynx	C129,C130:C139,C141	M-9590:9989
Other buccal cavity and pharynx	C140,C142:C148	M-9590:9989
Digestive system		
Esophagus	C150:C159	M-9590:9989
Stomach	C160:C169	M-9590:9989
Small intestine	C170:C179	M-9590:9989
Colon excluding rectum		
Cecum	C180	M-9590:9989
Appendix	C181	M-9590:9989
Ascending colon	C182	M-9590:9989
Hepatic flexure	C183	M-9590:9989
Transverse colon	C184	M-9590:9989
Splenic flexure	C185	M-9590:9989
Descending colon	C186	M-9590:9989
Sigmoid colon	C187	M-9590:9989
Large intestine, NOS	C188:C189,C260	M-9590:9989
Rectum and rectosigmoid		
Rectosigmoid junction	C199	M-9590:9989
Rectum	C209	M-9590:9989
Anus, anal canal and anorectum	C210:C212,C218	M-9590:9989
Liver and intrahepatic bile duct		
Liver	C220	M-9590:9989
Intrahepatic bile duct	C221	M-9590:9989
Gallbladder	C239	M-9590:9989
Other biliary	C240:C249	M-9590:9989
Pancreas	C250:C259	M-9590:9989
Retroperitoneum	C480	M-9590:9989
Peritoneum,omentum and mesentery	C481:C482	M-9590:9989
Other digestive organs	C268:C269,C488	M-9590:9989
Respiratory system		
Nasal cavity, middle ear and accessory sinuses	C300:C301,C310:C319	M-9590:9989
Larynx	C320:C329	M-9590:9989
Lung and bronchus	C340:C349	M-9590:9989
Pleura	C384	M-9590:9989
Trachea, mediastinum and other respiratory organs	C339,C381:C383,C388,C390,C398,C399	M-9590:9989

Source: NCHS public use tape.

Table A-3 - continued

SEER Recode for Primary Site based on ICD-O-2

Primary Site	Site/Type	Excluding Type
Bones and joints	C400:C419	M-9590:9989
Soft tissue (including heart)	C380,C470:C479,C490:C499	M-9590:9989
Skin (excluding basal and squamous) Melanomas -- skin Other non-epithelial skin	C440:C449 (types 872:879) C440:C449	M-8000:8004, 8010:8012, 8070:8076, 8090:8096, 8720:8790, 9590:9989
Breast	C500:C509	M-9590:9989
Female genital system Cervix Corpus Uterus, NOS Ovary Vagina Vulva Other female genital organs	C530:C539 C540:C549 C559 C569 C529 C510:C519 C570:C589	M-9590:9989 M-9590:9989 M-9590:9989 M-9590:9989 M-9590:9989 M-9590:9989 M-9590:9989
Male genital system Prostate Testis Penis Other male genital organs	C619 C620:C629 C600:C609 C630:C639	M-9590:9989 M-9590:9989 M-9590:9989 M-9590:9989
Urinary system Urinary bladder Kidney and renal pelvis Ureter Other urinary organs	C670:C679 C649,C659 C669 C680:C689	M-9590:9989 M-9590:9989 M-9590:9989 M-9590:9989
Eye and orbit	C690:C699	M-9590:9989
Brain and other nervous system Brain Other nervous system	C710:C719 C710:C719 (type 953), C700:C709,C720:C729	M-9530:9539, 9590:9989 M-9590:9989
Endocrine system Thyroid Other endocrine (including thymus)	C739 C379,C740:C749,C750:C759	M-9590:9989 M-9590:9989

Table A-3 - continued

SEER Recode for Primary Site based on ICD-O-2

Primary Site	Site/Type	Excluding Type
Lymphomas		
Hodgkin's disease	types 9650:9667	
Nodal	C024,C098,C099,C111,C142,C379, C422,C770:C779	
Extranodal	for all other sites	
Non-Hodgkin's lymphomas	types 9590:9595,9670:9714	
Nodal	C024,C098,C099,C111,C142,C379, C422,C770:C779	
Extranodal	for all other sites	
Multiple myeloma	types 9731:9732	
Leukemias		
Lymphocytic		
Acute lymphocytic	type 9821	
Chronic lymphocytic	type 9823	
Other lymphocytic	types 9820,9822,9824,9825,9826	
Granulocytic (myeloid)		
Acute granulocytic	type 9861,9867	
Chronic granulocytic	type 9863,9868	
Other granulocytic	types 9860,9862,9864,9866	
Monocytic		
Acute monocytic	type 9891	
Chronic monocytic	type 9893	
Other monocytic	types 9890,9892,9894	
Other		
Other acute	types 9801,9841	
Other chronic	types 9803,9842,9931	
Aleukemic, subleukemic and NOS	types 9800,9802,9804,9827, 9830,9840,9850,9870,9880, 9900,9910,9930:9941	
Ill-defined and unspecified sites	types 9720:9723,9740,9741, 9760:9764,9950:9989 C760:C768,C809 (types 8000:9589) C420:C424 (types 8000:9589) C770:C779 (types 8000:9589)	
Invalid site	Site or histology code not within valid range or site code not found in this table.	

Table A-4

SEER Site Groupings for ICD-9 NCHS Mortality Data

Underlying Cause of Death	ICD-9 codes

Buccal cavity and pharynx	
Lip	140.0-140.9
Tongue	141.0-141.9
Salivary glands	142.0-142.9
Floor of mouth	144.0-144.9
Gum and other mouth	143.0-143.9,145.0-145.6,145.8-145.9
Nasopharynx	147.0-147.9
Tonsil	146.0-146.2
Oropharynx	146.3-146.9
Hypopharynx	148.0-148.9
Other buccal cavity and pharynx	149.0-149.9

Digestive system	
Esophagus	150.0-150.9
Stomach	151.0-151.9
Small intestine	152.0-152.9
Colon excluding rectum	153.0-153.9,159.0
Rectum and rectosigmoid	154.0-154.1
Anus, anal canal and anorectum	154.2-154.3,154.8
Liver and intrahepatic bile duct	
Liver	155.0,155.2
Intrahepatic bile duct	155.1
Gallbladder	156.0
Other biliary	156.1-156.9
Pancreas	157.0-157.9
Retroperitoneum	158.0
Peritoneum, omentum and mesentery	158.8-158.9
Other digestive organs	159.8-159.9

Respiratory system	
Nasal cavity, middle ear and accessory sinuses	160.0-160.9
Larynx	161.0-161.9
Lung and bronchus	162.2-162.9
Pleura	163.0-163.9
Trachea, mediastinum and other respiratory organs	162.0,164.2-165.9

Bones and joints	170.0-170.9

Soft tissue (including heart)	171.0-171.9,164.1

Skin	
Melanomas -- skin	172.0-172.9
Other non-epithelial skin	173.0-173.9

Breast	174.0-174.9,175.0

Female genital system	
Cervix	180.0-180.9
Corpus	182.0-182.1,182.8
Uterus, NOS	179.0
Ovary	183.0
Vagina	184.0
Vulva	184.1-184.4
Other female genital organs	181.0,183.2-183.9,184.8,184.9

Table A-4 - continued

SEER Site Groupings for ICD-9 NCHS Mortality Data

Underlying Cause of Death	ICD-9 codes
Male genital system	
Prostate	185._
Testis	186.0-186.9
Penis	187.1-187.4
Other male genital organs	187.5-187.9
Urinary system	
Urinary bladder	188.0-188.9
Kidney and renal pelvis	189.0,189.1
Ureter	189.2
Other urinary organs	189.3-189.4,189.8-189.9
Eye and orbit	190.0-190.9
Brain and other nervous system	
Brain	191.0-191.9
Other nervous system	192.0-192.3,192.8-192.9
Endocrine system	
Thyroid	193._
Other endocrine (including thymus)	164.0,194.0-194.9
Lymphomas	
Hodgkin's disease	201.0-201.9
Non-Hodgkin's lymphomas	200.0-200.8,202.0-202.2, 202.8-202.9
Multiple myeloma	203.0,203.2-203.8
Leukemias	
Lymphocytic	
Acute lymphocytic	204.0
Chronic lymphocytic	204.1
Other lymphocytic	204.2-204.9
Granulocytic (myeloid)	
Acute myeloid	205.0
Chronic myeloid	205.1
Other myeloid	205.2-205.9
Monocytic	
Acute monocytic	206.0
Chronic monocytic	206.1
Other monocytic	206.2-206.9
Other	
Other acute	207.0,208.0
Other chronic	207.1,208.1
Aleukemic, subleukemic and NOS	202.4,203.1,207.2,207.8,208.2-208.9
Ill-defined and unspecified sites	159.1,195.0-195.8,196.0-196.9, 199.0-199.1,202.3,202.5-202.6

Table A-5

ANNUAL POPULATIONS AVERAGED OVER 1990-94

By State, Race and Sex

State	All Races			Whites			Blacks		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Total U.S.	254,936,993	124,369,707	130,567,286	212,812,822	104,255,960	108,556,862	31,640,974	14,988,318	16,652,656
Alabama	4,133,150	1,981,090	2,152,060	3,041,632	1,477,624	1,564,008	1,050,528	483,882	566,647
Alaska	582,610	307,280	275,330	445,456	237,773	207,683	24,303	13,318	10,984
Arizona	3,856,233	1,904,888	1,951,344	3,436,440	1,696,724	1,739,717	126,252	65,668	60,584
Arkansas	2,399,913	1,157,263	1,242,650	1,990,397	966,813	1,023,584	382,178	177,402	204,776
California	30,775,899	15,403,513	15,372,386	24,857,252	12,492,415	12,364,836	2,372,837	1,178,909	1,193,928
Colorado	3,471,233	1,719,994	1,751,239	3,222,299	1,595,919	1,626,380	147,555	75,535	72,020
Connecticut	3,282,499	1,590,489	1,692,010	2,928,306	1,420,333	1,507,972	289,255	137,810	151,445
Delaware	689,582	334,949	354,633	555,537	271,233	284,304	121,257	57,556	63,701
Dist. of Columbia	585,777	273,442	312,335	186,738	91,765	94,974	382,555	174,014	208,541
Florida	13,498,476	6,537,689	6,960,787	11,363,917	5,517,930	5,845,986	1,909,717	913,377	996,340
Georgia	6,770,530	3,288,551	3,481,979	4,804,806	2,367,052	2,437,754	1,860,378	870,026	990,352
Hawaii	1,148,765	583,042	565,723	312,798	167,194	145,604	28,484	17,044	11,440
Idaho	1,070,061	533,023	537,038	1,039,888	517,830	522,058	4,355	2,528	1,827
Illinois	11,604,338	5,641,213	5,963,125	9,506,005	4,650,235	4,855,770	1,754,715	822,092	932,623
Indiana	5,653,714	2,743,543	2,910,171	5,149,227	2,504,753	2,644,474	449,635	212,040	237,595
Iowa	2,805,951	1,361,271	1,444,680	2,718,015	1,317,267	1,400,748	51,449	25,831	25,618
Kansas	2,515,854	1,235,303	1,280,551	2,307,406	1,131,093	1,176,313	149,824	75,286	74,539
Kentucky	3,756,302	1,819,660	1,936,642	3,462,357	1,680,119	1,782,238	268,325	127,475	140,850
Louisiana	4,267,434	2,053,732	2,213,703	2,870,291	1,400,234	1,470,056	1,332,560	621,430	711,130
Maine	1,237,027	602,568	634,459	1,218,483	593,110	625,373	5,182	3,093	2,089
Maryland	4,904,421	2,380,280	2,524,141	3,469,744	1,700,991	1,768,753	1,261,503	595,282	666,221
Massachusetts	6,015,674	2,891,940	3,123,734	5,492,870	2,637,769	2,855,101	347,186	167,850	179,335
Michigan	9,412,289	4,572,813	4,839,476	7,902,904	3,862,840	4,040,065	1,334,662	624,259	710,403
Minnesota	4,476,470	2,198,215	2,278,255	4,224,716	2,072,486	2,152,230	108,743	56,227	52,515
Mississippi	2,618,705	1,253,730	1,364,975	1,659,437	809,001	850,436	936,416	433,716	502,700

Source: NCI estimates based on Census Bureau population data.

Table A-5 - continued

ANNUAL POPULATIONS AVERAGED OVER 1990-94

By State, Race and Sex

State	All Races			Whites			Blacks		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Missouri	5,197,934	2,506,952	2,690,982	4,564,440	2,210,649	2,353,792	566,189	263,398	302,791
Montana	825,651	409,690	415,961	768,732	381,564	387,168	2,596	1,527	1,069
Nebraska	1,602,682	782,122	820,560	1,515,421	739,649	775,772	59,877	29,273	30,604
Nevada	1,334,840	679,467	655,372	1,172,018	599,073	572,945	91,806	46,796	45,010
New Hampshire	1,118,992	548,217	570,775	1,099,985	538,516	561,470	6,818	3,755	3,063
New Jersey	7,816,584	3,779,298	4,037,286	6,383,402	3,094,395	3,289,007	1,101,033	522,352	578,680
New Mexico	1,583,500	779,493	804,007	1,386,934	683,721	703,213	36,046	18,802	17,245
New York	18,093,087	8,686,891	9,406,196	14,125,050	6,815,864	7,309,186	3,122,053	1,450,036	1,672,017
North Carolina	6,853,253	3,324,556	3,528,697	5,190,121	2,543,443	2,646,678	1,517,996	710,956	807,040
North Dakota	636,424	317,077	319,347	601,811	299,728	302,083	3,689	2,175	1,514
Ohio	10,992,488	5,301,166	5,691,322	9,670,772	4,680,170	4,990,602	1,200,009	561,129	638,880
Oklahoma	3,202,384	1,560,304	1,642,080	2,659,609	1,295,759	1,363,849	244,213	118,831	125,383
Oregon	2,974,755	1,464,297	1,510,458	2,801,594	1,377,953	1,423,642	51,102	26,719	24,383
Pennsylvania	11,983,088	5,748,691	6,234,397	10,679,004	5,135,434	5,543,570	1,132,084	528,295	603,789
Rhode Island	1,001,546	480,976	520,571	932,007	446,333	485,673	45,309	22,643	22,666
South Carolina	3,589,109	1,736,444	1,852,665	2,479,329	1,218,367	1,260,961	1,076,332	502,495	573,836
South Dakota	709,753	349,583	360,170	650,088	319,982	330,105	3,533	2,145	1,388
Tennessee	5,026,164	2,421,361	2,604,803	4,170,874	2,023,260	2,147,615	808,436	375,401	433,035
Texas	17,691,353	8,716,035	8,975,318	15,092,134	7,456,793	7,635,341	2,141,965	1,032,621	1,109,344
Utah	1,815,228	902,128	913,100	1,735,707	862,000	873,707	13,644	7,940	5,704
Vermont	571,932	280,426	291,506	564,422	276,669	287,753	2,156	1,241	914
Virginia	6,382,771	3,128,729	3,254,041	4,956,871	2,446,255	2,510,616	1,226,619	586,658	639,961
Washington	5,133,492	2,547,377	2,586,115	4,628,769	2,297,049	2,331,719	165,338	88,377	76,961
West Virginia	1,807,972	869,302	938,670	1,740,502	837,682	902,821	56,728	26,520	30,207
Wisconsin	4,994,846	2,446,781	2,548,066	4,628,981	2,270,723	2,358,258	261,778	124,527	137,251
Wyoming	464,256	232,863	231,393	447,325	224,427	222,898	3,770	2,054	1,716

Source: NCI estimates based on Census Bureau population data.

Table A-6

ANNUAL POPULATIONS AVERAGED OVER 1990-94

By SEER Registry, Race and Sex

Area	All Races			Whites			Blacks		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Total	24,166,374	11,830,234	12,336,140	19,249,393	9,468,746	9,780,647	2,675,026	1,269,993	1,405,034
San Francisco-Oakland SMSA	3,766,279	1,857,397	1,908,882	2,624,561	1,306,677	1,317,884	447,107	216,526	230,581
Connecticut	3,282,499	1,590,489	1,692,010	2,928,306	1,420,333	1,507,972	289,255	137,810	151,445
Metropolitan Detroit	3,929,421	1,885,091	2,044,329	2,893,474	1,408,175	1,485,299	958,816	439,144	519,672
Hawaii	1,148,765	583,042	565,723	312,798	167,194	145,604	28,484	17,044	11,440
Iowa	2,805,951	1,361,271	1,444,680	2,718,015	1,317,267	1,400,748	51,449	25,831	25,618
New Mexico	1,583,500	779,493	804,007	1,386,934	683,721	703,213	36,046	18,802	17,245
Seattle-Puget Sound	3,544,169	1,759,989	1,784,180	3,123,954	1,552,016	1,571,938	147,337	78,403	68,934
Utah	1,815,228	902,128	913,100	1,735,707	862,000	873,707	13,644	7,940	5,704
Metropolitan Atlanta	2,290,563	1,111,333	1,179,229	1,525,646	751,363	774,283	702,887	328,494	374,393

Source: NCI estimates based on Census Bureau population data.

Table A-7

Standard Million Populations, By Age

<u>Age</u>	<u>United States Standard Million Population, 1970</u>	<u>World Standard Million Population</u>
All Ages	1,000,000	1,000,000
<5	84,416	120,000
5-9	98,204	100,000
10-14	102,304	90,000
15-19	93,845	90,000
20-24	80,561	80,000
25-29	66,320	80,000
30-34	56,249	60,000
35-39	54,656	60,000
40-44	58,958	60,000
45-49	59,622	60,000
50-54	54,643	50,000
55-59	49,077	40,000
60-64	42,403	40,000
65-69	34,406	30,000
70-74	26,789	20,000
75-79	18,871	10,000
80-84	11,241	5,000
85+	7,435	5,000

Sources: U.S. Bureau of the Census, Census of Population 1970.

Muir C, Waterhouse J, Mack T, Powell J, Whelan S. Cancer Incidence In Five Continents, Volume V, pg. 792.

Table A-8
ALL SITES (Invasive)

SEER FOLLOW-UP RATES* FOR CASES DIAGNOSED 1973-1993
By Registry, Sex, and Age

	Males				Females			
	All Ages	00-19	20-64	65+	All Ages	00-19	20-64	65+
<u>FOLLOWED INTO 1993</u>								
REGISTRY								
Standard 9 registries	98.76	92.77	97.71	99.65	97.46	89.77	95.80	99.22
San Francisco-Oakland	98.59	91.42	97.62	99.52	97.33	88.60	95.56	99.19
Connecticut	97.82	90.76	96.05	99.16	95.63	85.87	92.82	98.24
Metropolitan Detroit	99.00	93.23	98.16	99.76	97.34	90.05	95.82	99.09
Hawaii	98.83	92.01	98.16	99.50	97.84	91.67	96.95	99.21
Iowa	99.76	97.28	99.45	99.98	99.66	96.06	99.35	99.94
New Mexico	98.89	91.80	97.84	99.76	98.17	89.03	97.06	99.65
Seattle-Puget Sound	99.11	95.03	98.26	99.78	97.88	89.79	96.46	99.45
Utah	97.78	89.16	95.55	99.62	96.48	87.49	94.29	99.45
Metropolitan Atlanta	98.48	91.64	97.31	99.88	97.18	89.83	95.37	99.77
<u>FOLLOWED INTO 1994</u>								
REGISTRY								
Standard 9 registries	98.21	90.60	96.64	99.49	96.47	87.09	94.10	98.94
San Francisco-Oakland	98.10	88.96	96.75	99.37	96.52	84.42	94.12	99.06
Connecticut	96.78	90.57	94.00	98.78	93.72	85.65	89.52	97.48
Metropolitan Detroit	98.51	89.82	97.27	99.65	96.28	87.64	94.12	98.71
Hawaii	98.47	90.33	97.59	99.32	97.25	88.66	96.18	98.95
Iowa	99.65	96.15	99.18	99.96	99.48	94.70	98.99	99.91
New Mexico	98.34	89.11	96.64	99.69	97.13	83.80	95.24	99.58
Seattle-Puget Sound	98.47	92.99	96.94	99.62	96.82	86.74	94.56	99.26
Utah	96.76	85.25	93.78	99.21	95.32	83.11	92.36	99.32
Metropolitan Atlanta	98.14	89.52	96.78	99.80	96.55	87.47	94.44	99.58

* Represents the percentage of first primaries diagnosed 1973-1993 and followed into the specified year.