

Table 1.18

Lifetime Risk (Percent) of Dying from Cancer by Site and Race/Ethnicity

Both Sexes, Total U.S., 2009-2011

Site	All Races	Whites	Blacks
	Percent ( 95% C.I. )	Percent ( 95% C.I. )	Percent ( 95% C.I. )
All Sites	20.84 ( 20.81, 20.87 )	20.95 ( 20.92, 20.98 )	21.17 ( 21.08, 21.27 )
Oral Cavity and Pharynx	0.28 ( 0.28, 0.29 )	0.28 ( 0.28, 0.29 )	0.28 ( 0.27, 0.29 )
Esophagus	0.49 ( 0.48, 0.49 )	0.51 ( 0.50, 0.52 )	0.40 ( 0.39, 0.42 )
Stomach	0.41 ( 0.40, 0.41 )	0.36 ( 0.35, 0.36 )	0.67 ( 0.65, 0.69 )
Colon and Rectum	1.94 ( 1.93, 1.95 )	1.90 ( 1.89, 1.91 )	2.29 ( 2.26, 2.33 )
Liver and Intrahepatic Bile Duct	0.68 ( 0.67, 0.69 )	0.64 ( 0.63, 0.64 )	0.78 ( 0.76, 0.80 )
Pancreas	1.34 ( 1.33, 1.35 )	1.33 ( 1.32, 1.34 )	1.43 ( 1.40, 1.46 )
Larynx	0.12 ( 0.12, 0.13 )	0.12 ( 0.12, 0.12 )	0.18 ( 0.17, 0.19 )
Lung and Bronchus	5.66 ( 5.64, 5.68 )	5.79 ( 5.77, 5.81 )	5.21 ( 5.17, 5.26 )
Melanoma of the Skin	0.32 ( 0.31, 0.32 )	0.36 ( 0.36, 0.37 )	0.04 ( 0.04, 0.05 )
Breast	1.43 ( 1.42, 1.44 )	1.41 ( 1.40, 1.42 )	1.78 ( 1.75, 1.81 )
Urinary Bladder	0.60 ( 0.60, 0.61 )	0.63 ( 0.62, 0.64 )	0.42 ( 0.40, 0.43 )
Kidney and Renal Pelvis	0.47 ( 0.47, 0.48 )	0.49 ( 0.48, 0.49 )	0.39 ( 0.38, 0.41 )
Brain and Other Nervous System	0.45 ( 0.45, 0.46 )	0.49 ( 0.49, 0.50 )	0.23 ( 0.22, 0.24 )
Thyroid	0.06 ( 0.06, 0.07 )	0.06 ( 0.06, 0.07 )	0.05 ( 0.05, 0.06 )
Hodgkin Lymphoma	0.04 ( 0.04, 0.04 )	0.04 ( 0.04, 0.04 )	0.03 ( 0.03, 0.03 )
Non-Hodgkin Lymphoma	0.78 ( 0.77, 0.78 )	0.82 ( 0.81, 0.82 )	0.45 ( 0.43, 0.46 )
Myeloma	0.42 ( 0.41, 0.42 )	0.39 ( 0.39, 0.40 )	0.66 ( 0.64, 0.68 )
Leukemia	0.86 ( 0.86, 0.87 )	0.90 ( 0.89, 0.91 )	0.62 ( 0.60, 0.64 )
Acute Lymphocytic Leukemia	0.04 ( 0.04, 0.04 )	0.04 ( 0.04, 0.05 )	0.03 ( 0.02, 0.03 )
Chronic Lymphocytic Leukemia	0.19 ( 0.19, 0.19 )	0.20 ( 0.20, 0.20 )	0.14 ( 0.13, 0.15 )
Acute Myeloid Leukemia	0.33 ( 0.33, 0.34 )	0.35 ( 0.34, 0.35 )	0.21 ( 0.20, 0.22 )
Chronic Myeloid Leukemia	0.04 ( 0.04, 0.04 )	0.04 ( 0.04, 0.04 )	0.03 ( 0.03, 0.04 )

Devcan Version 6.8.0, August 2014, National Cancer Institute (<http://surveillance.cancer.gov/devcan/>).  
 Source: NCHS public use data file for the total US.  
 A percent or confidence interval value of 0.00 represents a value that is below 0.005.

Table 1.18 - continued

## Lifetime Risk (Percent) of Dying from Cancer by Site and Race/Ethnicity

Both Sexes, Total U.S., 2009-2011

Site	Asian/Pacific Islanders	American Indian/ Alaska Natives <sup>a</sup>	Hispanics <sup>b</sup>
	Percent ( 95% C.I. )	Percent ( 95% C.I. )	Percent ( 95% C.I. )
All Sites	18.69 ( 18.45, 18.93 )	16.99 ( 16.51, 17.50 )	17.71 ( 17.57, 17.86 )
Oral Cavity and Pharynx	0.30 ( 0.27, 0.34 )	0.24 ( 0.19, 0.33 )	0.21 ( 0.19, 0.23 )
Esophagus	0.30 ( 0.27, 0.34 )	0.35 ( 0.28, 0.45 )	0.35 ( 0.32, 0.37 )
Stomach	1.14 ( 1.07, 1.21 )	0.55 ( 0.46, 0.67 )	0.79 ( 0.76, 0.83 )
Colon and Rectum	2.02 ( 1.94, 2.12 )	1.87 ( 1.70, 2.08 )	1.89 ( 1.84, 1.95 )
Liver and Intrahepatic Bile Duct	1.55 ( 1.48, 1.62 )	1.00 ( 0.89, 1.14 )	1.20 ( 1.17, 1.24 )
Pancreas	1.40 ( 1.33, 1.47 )	0.93 ( 0.81, 1.08 )	1.33 ( 1.29, 1.37 )
Larynx	0.07 ( 0.05, 0.09 )	0.10 ( 0.07, 0.16 )	0.12 ( 0.11, 0.14 )
Lung and Bronchus	4.30 ( 4.19, 4.41 )	4.12 ( 3.88, 4.38 )	3.01 ( 2.95, 3.07 )
Melanoma of the Skin	0.06 ( 0.04, 0.08 )	0.12 ( 0.08, 0.19 )	0.12 ( 0.11, 0.13 )
Breast	0.97 ( 0.91, 1.03 )	0.91 ( 0.79, 1.06 )	1.11 ( 1.07, 1.15 )
Urinary Bladder	0.39 ( 0.35, 0.44 )	0.29 ( 0.21, 0.39 )	0.43 ( 0.40, 0.46 )
Kidney and Renal Pelvis	0.35 ( 0.31, 0.39 )	0.74 ( 0.63, 0.88 )	0.50 ( 0.47, 0.52 )
Brain and Other Nervous System	0.27 ( 0.24, 0.30 )	0.19 ( 0.16, 0.26 )	0.33 ( 0.32, 0.35 )
Thyroid	0.12 ( 0.10, 0.15 )	0.05 ( 0.03, 0.12 )	0.08 ( 0.08, 0.10 )
Hodgkin Lymphoma	0.03 ( 0.02, 0.05 )	0.02 ( 0.01, 0.08 )	0.05 ( 0.05, 0.06 )
Non-Hodgkin Lymphoma	0.74 ( 0.69, 0.80 )	0.50 ( 0.41, 0.61 )	0.77 ( 0.74, 0.80 )
Myeloma	0.29 ( 0.27, 0.33 )	0.31 ( 0.25, 0.41 )	0.42 ( 0.40, 0.45 )
Leukemia	0.66 ( 0.62, 0.71 )	0.50 ( 0.41, 0.62 )	0.68 ( 0.65, 0.71 )
Acute Lymphocytic Leukemia	0.04 ( 0.03, 0.06 )	0.02 ( 0.01, 0.08 )	0.07 ( 0.06, 0.07 )
Chronic Lymphocytic Leukemia	0.06 ( 0.04, 0.08 )	0.10 ( 0.05, 0.19 )	0.09 ( 0.08, 0.10 )
Acute Myeloid Leukemia	0.32 ( 0.30, 0.36 )	0.19 ( 0.15, 0.27 )	0.26 ( 0.24, 0.28 )
Chronic Myeloid Leukemia	0.04 ( 0.03, 0.06 )	0.03 ( 0.01, 0.09 )	0.04 ( 0.03, 0.04 )

Devcan Version 6.8.0, August 2014, National Cancer Institute (<http://surveillance.cancer.gov/devcan/>).

Source: NCHS public use data file for the total US.

<sup>a</sup> Underlying mortality data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.<sup>b</sup> Hispanic is not mutually exclusive from whites, blacks, Asian Pacific Islanders, and American Indians/Alaska Natives.  
A percent or confidence interval value of 0.00 represents a value that is below 0.005.

Table 1.19

Lifetime Risk (Percent) of Dying from Cancer by Site and Race/Ethnicity  
Males, Total U.S., 2009-2011

Site	All Races	Whites	Blacks
	Percent ( 95% C.I. )	Percent ( 95% C.I. )	Percent ( 95% C.I. )
All Sites	22.83 ( 22.78, 22.87 )	22.87 ( 22.82, 22.92 )	23.66 ( 23.51, 23.81 )
Oral Cavity and Pharynx	0.39 ( 0.38, 0.39 )	0.38 ( 0.38, 0.39 )	0.44 ( 0.42, 0.46 )
Esophagus	0.79 ( 0.78, 0.80 )	0.83 ( 0.82, 0.84 )	0.62 ( 0.59, 0.64 )
Stomach	0.49 ( 0.48, 0.50 )	0.43 ( 0.42, 0.44 )	0.82 ( 0.79, 0.85 )
Colon and Rectum	2.04 ( 2.02, 2.05 )	2.00 ( 1.98, 2.01 )	2.41 ( 2.36, 2.46 )
Liver and Intrahepatic Bile Duct	0.90 ( 0.89, 0.91 )	0.84 ( 0.83, 0.85 )	1.08 ( 1.05, 1.11 )
Pancreas	1.35 ( 1.34, 1.37 )	1.36 ( 1.35, 1.38 )	1.35 ( 1.31, 1.39 )
Larynx	0.20 ( 0.20, 0.21 )	0.19 ( 0.19, 0.20 )	0.32 ( 0.30, 0.34 )
Lung and Bronchus	6.47 ( 6.45, 6.50 )	6.53 ( 6.51, 6.56 )	6.49 ( 6.42, 6.58 )
Melanoma of the Skin	0.43 ( 0.43, 0.44 )	0.49 ( 0.49, 0.50 )	0.04 ( 0.04, 0.05 )
Breast	0.03 ( 0.03, 0.03 )	0.03 ( 0.03, 0.03 )	0.05 ( 0.04, 0.05 )
Prostate	2.66 ( 2.65, 2.68 )	2.48 ( 2.46, 2.50 )	4.57 ( 4.49, 4.66 )
Testis	0.02 ( 0.02, 0.02 )	0.02 ( 0.02, 0.02 )	0.01 ( 0.01, 0.01 )
Urinary Bladder	0.91 ( 0.90, 0.92 )	0.97 ( 0.95, 0.98 )	0.51 ( 0.48, 0.54 )
Kidney and Renal Pelvis	0.61 ( 0.60, 0.62 )	0.63 ( 0.62, 0.64 )	0.48 ( 0.46, 0.51 )
Brain and Other Nervous System	0.51 ( 0.50, 0.51 )	0.55 ( 0.54, 0.56 )	0.24 ( 0.23, 0.26 )
Thyroid	0.05 ( 0.05, 0.06 )	0.06 ( 0.05, 0.06 )	0.03 ( 0.03, 0.04 )
Hodgkin Lymphoma	0.05 ( 0.04, 0.05 )	0.05 ( 0.05, 0.05 )	0.04 ( 0.03, 0.04 )
Non-Hodgkin Lymphoma	0.87 ( 0.86, 0.88 )	0.92 ( 0.90, 0.93 )	0.51 ( 0.48, 0.53 )
Myeloma	0.47 ( 0.46, 0.47 )	0.45 ( 0.44, 0.45 )	0.68 ( 0.66, 0.71 )
Leukemia	1.03 ( 1.01, 1.04 )	1.07 ( 1.06, 1.08 )	0.69 ( 0.66, 0.72 )
Acute Lymphocytic Leukemia	0.05 ( 0.04, 0.05 )	0.05 ( 0.05, 0.05 )	0.03 ( 0.02, 0.03 )
Chronic Lymphocytic Leukemia	0.24 ( 0.23, 0.24 )	0.25 ( 0.24, 0.25 )	0.17 ( 0.15, 0.19 )
Acute Myeloid Leukemia	0.39 ( 0.39, 0.40 )	0.41 ( 0.41, 0.42 )	0.23 ( 0.22, 0.25 )
Chronic Myeloid Leukemia	0.04 ( 0.04, 0.05 )	0.05 ( 0.04, 0.05 )	0.04 ( 0.03, 0.05 )

Devcan Version 6.8.0, August 2014, National Cancer Institute (<http://surveillance.cancer.gov/devcan/>).  
Source: NCHS public use data file for the total US.  
A percent or confidence interval value of 0.00 represents a value that is below 0.005.

Table 1.19 - continued

## Lifetime Risk (Percent) of Dying from Cancer by Site and Race/Ethnicity

Males, Total U.S., 2009-2011

Site	Asian/Pacific Islanders	American Indian/ Alaska Natives <sup>a</sup>	Hispanics <sup>b</sup>
	Percent ( 95% C.I. )	Percent ( 95% C.I. )	Percent ( 95% C.I. )
All Sites	21.04 ( 20.68, 21.41 )	18.46 ( 17.69, 19.29 )	20.28 ( 20.05, 20.52 )
Oral Cavity and Pharynx	0.41 ( 0.36, 0.48 )	0.33 ( 0.24, 0.54 )	0.29 ( 0.27, 0.32 )
Esophagus	0.47 ( 0.41, 0.54 )	0.48 ( 0.37, 0.70 )	0.58 ( 0.54, 0.62 )
Stomach	1.31 ( 1.22, 1.42 )	0.69 ( 0.55, 0.92 )	0.94 ( 0.89, 1.00 )
Colon and Rectum	2.12 ( 1.99, 2.25 )	1.83 ( 1.57, 2.16 )	2.13 ( 2.05, 2.21 )
Liver and Intrahepatic Bile Duct	2.02 ( 1.92, 2.14 )	1.30 ( 1.12, 1.57 )	1.55 ( 1.49, 1.61 )
Pancreas	1.33 ( 1.24, 1.43 )	0.86 ( 0.72, 1.10 )	1.30 ( 1.24, 1.36 )
Larynx	0.13 ( 0.10, 0.17 )	0.16 ( 0.10, 0.34 )	0.23 ( 0.21, 0.26 )
Lung and Bronchus	5.43 ( 5.25, 5.63 )	4.63 ( 4.25, 5.09 )	3.97 ( 3.87, 4.08 )
Melanoma of the Skin	0.06 ( 0.04, 0.09 )	0.19 ( 0.12, 0.38 )	0.15 ( 0.12, 0.18 )
Breast	0.03 ( 0.01, 0.07 )	0.02 ( 0.00, 0.20 )	0.03 ( 0.02, 0.05 )
Prostate	2.20 ( 2.04, 2.37 )	2.38 ( 2.02, 2.84 )	3.08 ( 2.96, 3.21 )
Testis	0.00 ( 0.00, 0.03 )	0.02 ( 0.01, 0.20 )	0.03 ( 0.02, 0.04 )
Urinary Bladder	0.58 ( 0.50, 0.67 )	0.50 ( 0.33, 0.78 )	0.65 ( 0.59, 0.71 )
Kidney and Renal Pelvis	0.45 ( 0.40, 0.52 )	0.93 ( 0.76, 1.20 )	0.64 ( 0.60, 0.69 )
Brain and Other Nervous System	0.31 ( 0.27, 0.36 )	0.23 ( 0.17, 0.41 )	0.36 ( 0.34, 0.39 )
Thyroid	0.07 ( 0.06, 0.11 )	0.05 ( 0.02, 0.23 )	0.06 ( 0.05, 0.08 )
Hodgkin Lymphoma	0.04 ( 0.02, 0.07 )	0.04 ( 0.01, 0.22 )	0.06 ( 0.05, 0.08 )
Non-Hodgkin Lymphoma	0.83 ( 0.76, 0.93 )	0.52 ( 0.41, 0.73 )	0.82 ( 0.77, 0.87 )
Myeloma	0.36 ( 0.31, 0.42 )	0.31 ( 0.21, 0.51 )	0.48 ( 0.45, 0.53 )
Leukemia	0.78 ( 0.71, 0.85 )	0.68 ( 0.52, 0.95 )	0.77 ( 0.73, 0.83 )
Acute Lymphocytic Leukemia	0.05 ( 0.03, 0.08 )	0.02 ( 0.01, 0.20 )	0.07 ( 0.06, 0.09 )
Chronic Lymphocytic Leukemia	0.07 ( 0.05, 0.11 )	0.15 ( 0.07, 0.35 )	0.10 ( 0.08, 0.12 )
Acute Myeloid Leukemia	0.37 ( 0.33, 0.43 )	0.23 ( 0.15, 0.43 )	0.29 ( 0.27, 0.32 )
Chronic Myeloid Leukemia	0.04 ( 0.03, 0.08 )	0.06 ( 0.03, 0.24 )	0.05 ( 0.04, 0.07 )

Devcan Version 6.8.0, August 2014, National Cancer Institute (<http://surveillance.cancer.gov/devcan/>).

Source: NCHS public use data file for the total US.

<sup>a</sup> Underlying mortality data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.<sup>b</sup> Hispanic is not mutually exclusive from whites, blacks, Asian Pacific Islanders, and American Indians/Alaska Natives. A percent or confidence interval value of 0.00 represents a value that is below 0.005.

Table 1.20

Lifetime Risk (Percent) of Dying from Cancer by Site and Race/Ethnicity

Females, Total U.S., 2009-2011

Site	All Races	Whites	Blacks
	Percent ( 95% C.I. )	Percent ( 95% C.I. )	Percent ( 95% C.I. )
All Sites	19.26 ( 19.22, 19.30 )	19.41 ( 19.37, 19.45 )	19.37 ( 19.25, 19.50 )
Oral Cavity and Pharynx	0.18 ( 0.18, 0.19 )	0.18 ( 0.18, 0.19 )	0.15 ( 0.13, 0.16 )
Esophagus	0.21 ( 0.21, 0.22 )	0.21 ( 0.21, 0.22 )	0.22 ( 0.20, 0.23 )
Stomach	0.33 ( 0.32, 0.33 )	0.29 ( 0.28, 0.29 )	0.55 ( 0.52, 0.57 )
Colon and Rectum	1.85 ( 1.84, 1.87 )	1.81 ( 1.79, 1.82 )	2.21 ( 2.16, 2.26 )
Liver and Intrahepatic Bile Duct	0.47 ( 0.46, 0.48 )	0.44 ( 0.44, 0.45 )	0.51 ( 0.49, 0.53 )
Pancreas	1.32 ( 1.31, 1.33 )	1.31 ( 1.29, 1.32 )	1.50 ( 1.46, 1.54 )
Larynx	0.05 ( 0.05, 0.05 )	0.05 ( 0.05, 0.05 )	0.07 ( 0.06, 0.07 )
Lung and Bronchus	4.95 ( 4.93, 4.97 )	5.14 ( 5.11, 5.16 )	4.15 ( 4.09, 4.21 )
Melanoma of the Skin	0.21 ( 0.21, 0.22 )	0.24 ( 0.24, 0.25 )	0.05 ( 0.04, 0.05 )
Breast	2.72 ( 2.70, 2.74 )	2.69 ( 2.67, 2.71 )	3.26 ( 3.21, 3.32 )
Cervix Uteri	0.23 ( 0.22, 0.23 )	0.21 ( 0.20, 0.21 )	0.38 ( 0.37, 0.40 )
Corpus and Uterus, NOS	0.57 ( 0.56, 0.58 )	0.53 ( 0.53, 0.54 )	0.89 ( 0.86, 0.92 )
Ovary	0.98 ( 0.97, 0.99 )	1.02 ( 1.01, 1.03 )	0.76 ( 0.73, 0.78 )
Urinary Bladder	0.34 ( 0.34, 0.35 )	0.35 ( 0.34, 0.35 )	0.35 ( 0.33, 0.37 )
Kidney and Renal Pelvis	0.35 ( 0.34, 0.35 )	0.35 ( 0.35, 0.36 )	0.32 ( 0.30, 0.34 )
Brain and Other Nervous System	0.40 ( 0.39, 0.41 )	0.43 ( 0.43, 0.44 )	0.22 ( 0.21, 0.24 )
Thyroid	0.07 ( 0.07, 0.07 )	0.07 ( 0.07, 0.07 )	0.07 ( 0.06, 0.08 )
Hodgkin Lymphoma	0.03 ( 0.03, 0.04 )	0.04 ( 0.03, 0.04 )	0.03 ( 0.02, 0.03 )
Non-Hodgkin Lymphoma	0.69 ( 0.69, 0.70 )	0.73 ( 0.72, 0.74 )	0.40 ( 0.38, 0.42 )
Myeloma	0.38 ( 0.37, 0.38 )	0.35 ( 0.34, 0.35 )	0.64 ( 0.62, 0.67 )
Leukemia	0.72 ( 0.72, 0.73 )	0.75 ( 0.74, 0.76 )	0.57 ( 0.55, 0.59 )
Acute Lymphocytic Leukemia	0.04 ( 0.04, 0.04 )	0.04 ( 0.04, 0.04 )	0.02 ( 0.02, 0.03 )
Chronic Lymphocytic Leukemia	0.15 ( 0.15, 0.16 )	0.16 ( 0.15, 0.16 )	0.12 ( 0.11, 0.13 )
Acute Myeloid Leukemia	0.28 ( 0.27, 0.28 )	0.29 ( 0.29, 0.30 )	0.19 ( 0.18, 0.21 )
Chronic Myeloid Leukemia	0.04 ( 0.03, 0.04 )	0.04 ( 0.03, 0.04 )	0.03 ( 0.03, 0.04 )

Devcan Version 6.8.0, August 2014, National Cancer Institute (<http://surveillance.cancer.gov/devcan/>).  
 Source: NCHS public use data file for the total US.  
 A percent or confidence interval value of 0.00 represents a value that is below 0.005.

Table 1.20 - continued

Lifetime Risk (Percent) of Dying from Cancer by Site and Race/Ethnicity  
Females, Total U.S., 2009-2011

Site	Asian/Pacific Islanders	American Indian/ Alaska Natives <sup>a</sup>	Hispanics <sup>b</sup>
	Percent ( 95% C.I. )	Percent ( 95% C.I. )	Percent ( 95% C.I. )
All Sites	16.84 ( 16.52, 17.16 )	15.93 ( 15.28, 16.62 )	15.81 ( 15.63, 15.99 )
Oral Cavity and Pharynx	0.20 ( 0.17, 0.25 )	0.16 ( 0.10, 0.28 )	0.14 ( 0.12, 0.16 )
Esophagus	0.16 ( 0.13, 0.20 )	0.23 ( 0.15, 0.37 )	0.15 ( 0.13, 0.18 )
Stomach	0.99 ( 0.90, 1.09 )	0.42 ( 0.31, 0.58 )	0.67 ( 0.63, 0.71 )
Colon and Rectum	1.95 ( 1.83, 2.09 )	1.92 ( 1.67, 2.21 )	1.71 ( 1.64, 1.78 )
Liver and Intrahepatic Bile Duct	1.15 ( 1.07, 1.24 )	0.71 ( 0.58, 0.90 )	0.89 ( 0.85, 0.94 )
Pancreas	1.45 ( 1.36, 1.56 )	0.98 ( 0.80, 1.20 )	1.35 ( 1.30, 1.42 )
Larynx	0.02 ( 0.01, 0.04 )	0.03 ( 0.01, 0.13 )	0.03 ( 0.02, 0.05 )
Lung and Bronchus	3.39 ( 3.25, 3.53 )	3.70 ( 3.39, 4.05 )	2.23 ( 2.16, 2.31 )
Melanoma of the Skin	0.05 ( 0.04, 0.09 )	0.06 ( 0.03, 0.16 )	0.10 ( 0.08, 0.11 )
Breast	1.75 ( 1.65, 1.87 )	1.73 ( 1.51, 2.00 )	2.05 ( 1.98, 2.12 )
Cervix Uteri	0.24 ( 0.21, 0.29 )	0.31 ( 0.23, 0.45 )	0.31 ( 0.29, 0.34 )
Corpus and Uterus, NOS	0.46 ( 0.41, 0.52 )	0.39 ( 0.30, 0.54 )	0.51 ( 0.48, 0.54 )
Ovary	0.69 ( 0.63, 0.75 )	0.83 ( 0.68, 1.03 )	0.82 ( 0.78, 0.86 )
Urinary Bladder	0.25 ( 0.20, 0.31 )	0.14 ( 0.09, 0.25 )	0.26 ( 0.24, 0.30 )
Kidney and Renal Pelvis	0.27 ( 0.22, 0.33 )	0.56 ( 0.43, 0.75 )	0.37 ( 0.35, 0.41 )
Brain and Other Nervous System	0.24 ( 0.21, 0.28 )	0.16 ( 0.11, 0.26 )	0.31 ( 0.28, 0.33 )
Thyroid	0.16 ( 0.13, 0.21 )	0.06 ( 0.02, 0.16 )	0.11 ( 0.09, 0.13 )
Hodgkin Lymphoma	0.02 ( 0.01, 0.05 )	0.01 ( 0.00, 0.10 )	0.04 ( 0.03, 0.05 )
Non-Hodgkin Lymphoma	0.67 ( 0.61, 0.75 )	0.47 ( 0.36, 0.64 )	0.73 ( 0.69, 0.77 )
Myeloma	0.24 ( 0.21, 0.28 )	0.32 ( 0.23, 0.47 )	0.38 ( 0.35, 0.41 )
Leukemia	0.57 ( 0.51, 0.64 )	0.36 ( 0.27, 0.51 )	0.60 ( 0.57, 0.65 )
Acute Lymphocytic Leukemia	0.04 ( 0.03, 0.06 )	0.03 ( 0.01, 0.12 )	0.06 ( 0.05, 0.07 )
Chronic Lymphocytic Leukemia	0.05 ( 0.03, 0.08 )	0.06 ( 0.02, 0.18 )	0.08 ( 0.07, 0.11 )
Acute Myeloid Leukemia	0.29 ( 0.25, 0.34 )	0.17 ( 0.11, 0.28 )	0.23 ( 0.21, 0.25 )
Chronic Myeloid Leukemia	0.04 ( 0.02, 0.07 )	0.01 ( 0.00, 0.10 )	0.03 ( 0.02, 0.04 )

Devcan Version 6.8.0, August 2014, National Cancer Institute (<http://surveillance.cancer.gov/devcan/>).

Source: NCHS public use data file for the total US.

<sup>a</sup> Underlying mortality data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

<sup>b</sup> Hispanic is not mutually exclusive from whites, blacks, Asian Pacific Islanders, and American Indians/Alaska Natives.  
A percent or confidence interval value of 0.00 represents a value that is below 0.005.