

Table 1.17

Lifetime Risk (Percent) of Dying from Cancer by Site and Race/Ethnicity  
Both Sexes, Total U.S., 2014-2016

Site	All Races	Whites	Blacks
	Percent ( 95% C.I. )	Percent ( 95% C.I. )	Percent ( 95% C.I. )
All Sites	19.71 ( 19.69, 19.74 )	19.85 ( 19.83, 19.88 )	19.71 ( 19.63, 19.80 )
Oral Cavity and Pharynx	0.30 ( 0.30, 0.30 )	0.30 ( 0.30, 0.31 )	0.27 ( 0.26, 0.28 )
Esophagus	0.47 ( 0.47, 0.47 )	0.50 ( 0.50, 0.51 )	0.33 ( 0.31, 0.34 )
Stomach	0.37 ( 0.37, 0.38 )	0.32 ( 0.32, 0.33 )	0.60 ( 0.58, 0.61 )
Colon and Rectum	1.75 ( 1.74, 1.76 )	1.72 ( 1.71, 1.73 )	2.03 ( 2.00, 2.06 )
Liver and Intrahepatic Bile Duct	0.77 ( 0.77, 0.78 )	0.73 ( 0.72, 0.74 )	0.87 ( 0.85, 0.88 )
Pancreas	1.37 ( 1.36, 1.38 )	1.37 ( 1.36, 1.38 )	1.45 ( 1.43, 1.48 )
Larynx	0.12 ( 0.11, 0.12 )	0.11 ( 0.11, 0.11 )	0.16 ( 0.15, 0.17 )
Lung and Bronchus	4.97 ( 4.95, 4.98 )	5.08 ( 5.07, 5.10 )	4.54 ( 4.49, 4.58 )
Melanoma of the Skin	0.29 ( 0.28, 0.29 )	0.33 ( 0.33, 0.33 )	0.04 ( 0.03, 0.04 )
Breast	1.34 ( 1.33, 1.35 )	1.31 ( 1.30, 1.32 )	1.67 ( 1.65, 1.70 )
Urinary Bladder	0.62 ( 0.61, 0.62 )	0.65 ( 0.64, 0.66 )	0.43 ( 0.41, 0.44 )
Kidney and Renal Pelvis	0.46 ( 0.46, 0.46 )	0.47 ( 0.47, 0.48 )	0.39 ( 0.38, 0.41 )
Brain and Other Nervous System	0.47 ( 0.47, 0.48 )	0.52 ( 0.51, 0.52 )	0.26 ( 0.25, 0.27 )
Thyroid	0.06 ( 0.06, 0.07 )	0.06 ( 0.06, 0.07 )	0.06 ( 0.05, 0.06 )
Hodgkin Lymphoma	0.03 ( 0.03, 0.03 )	0.03 ( 0.03, 0.04 )	0.02 ( 0.02, 0.03 )
Non-Hodgkin Lymphoma	0.72 ( 0.71, 0.72 )	0.75 ( 0.75, 0.76 )	0.42 ( 0.41, 0.44 )
Myeloma	0.42 ( 0.42, 0.43 )	0.40 ( 0.39, 0.40 )	0.69 ( 0.67, 0.71 )
Leukemia	0.82 ( 0.81, 0.82 )	0.85 ( 0.85, 0.86 )	0.58 ( 0.56, 0.60 )
Acute Lymphocytic Leukemia	0.04 ( 0.04, 0.04 )	0.04 ( 0.04, 0.05 )	0.03 ( 0.02, 0.03 )
Chronic Lymphocytic Leukemia	0.17 ( 0.17, 0.18 )	0.18 ( 0.18, 0.19 )	0.11 ( 0.11, 0.12 )
Acute Myeloid Leukemia	0.33 ( 0.33, 0.34 )	0.35 ( 0.35, 0.35 )	0.23 ( 0.22, 0.24 )
Chronic Myeloid Leukemia	0.04 ( 0.04, 0.04 )	0.04 ( 0.04, 0.04 )	0.03 ( 0.03, 0.03 )

Devcan Version 6.7.7, April 2019, National Cancer Institute (<https://surveillance.cancer.gov/devcan/>).  
Source: NCHS public use data file for the total US.  
A percent or confidence interval value of 0.00 represents a value that is below 0.005.

Table 1.17 - continued

## Lifetime Risk (Percent) of Dying from Cancer by Site and Race/Ethnicity

Both Sexes, Total U.S., 2014-2016

Site	Asian/Pacific Islanders	American Indian/ Alaska Natives <sup>a</sup>	Hispanics <sup>b</sup>
	Percent ( 95% C.I. )	Percent ( 95% C.I. )	Percent ( 95% C.I. )
All Sites	17.87 ( 17.67, 18.07 )	15.99 ( 15.57, 16.43 )	17.13 ( 17.00, 17.25 )
Oral Cavity and Pharynx	0.33 ( 0.30, 0.36 )	0.27 ( 0.21, 0.35 )	0.24 ( 0.22, 0.25 )
Esophagus	0.26 ( 0.24, 0.29 )	0.38 ( 0.32, 0.48 )	0.30 ( 0.29, 0.32 )
Stomach	0.99 ( 0.94, 1.04 )	0.52 ( 0.44, 0.62 )	0.73 ( 0.70, 0.75 )
Colon and Rectum	1.81 ( 1.74, 1.89 )	1.65 ( 1.51, 1.82 )	1.73 ( 1.69, 1.77 )
Liver and Intrahepatic Bile Duct	1.49 ( 1.43, 1.54 )	1.09 ( 0.99, 1.22 )	1.30 ( 1.27, 1.34 )
Pancreas	1.43 ( 1.37, 1.50 )	1.01 ( 0.90, 1.15 )	1.29 ( 1.26, 1.33 )
Larynx	0.06 ( 0.04, 0.07 )	0.09 ( 0.06, 0.15 )	0.10 ( 0.09, 0.11 )
Lung and Bronchus	4.06 ( 3.96, 4.16 )	3.67 ( 3.46, 3.89 )	2.77 ( 2.72, 2.83 )
Melanoma of the Skin	0.06 ( 0.05, 0.08 )	0.07 ( 0.05, 0.14 )	0.11 ( 0.09, 0.12 )
Breast	0.96 ( 0.91, 1.01 )	0.92 ( 0.80, 1.06 )	1.12 ( 1.08, 1.15 )
Urinary Bladder	0.45 ( 0.41, 0.50 )	0.35 ( 0.28, 0.46 )	0.44 ( 0.41, 0.46 )
Kidney and Renal Pelvis	0.32 ( 0.29, 0.35 )	0.58 ( 0.51, 0.69 )	0.53 ( 0.50, 0.55 )
Brain and Other Nervous System	0.31 ( 0.29, 0.34 )	0.23 ( 0.18, 0.31 )	0.37 ( 0.36, 0.39 )
Thyroid	0.11 ( 0.09, 0.13 )	0.04 ( 0.02, 0.09 )	0.11 ( 0.10, 0.12 )
Hodgkin Lymphoma	0.02 ( 0.02, 0.03 )	0.02 ( 0.01, 0.08 )	0.05 ( 0.05, 0.06 )
Non-Hodgkin Lymphoma	0.72 ( 0.68, 0.77 )	0.49 ( 0.42, 0.60 )	0.73 ( 0.70, 0.76 )
Myeloma	0.28 ( 0.26, 0.31 )	0.36 ( 0.29, 0.46 )	0.42 ( 0.40, 0.44 )
Leukemia	0.58 ( 0.55, 0.62 )	0.40 ( 0.33, 0.49 )	0.66 ( 0.64, 0.69 )
Acute Lymphocytic Leukemia	0.05 ( 0.04, 0.06 )	0.05 ( 0.03, 0.11 )	0.07 ( 0.06, 0.07 )
Chronic Lymphocytic Leukemia	0.04 ( 0.03, 0.06 )	0.03 ( 0.01, 0.09 )	0.08 ( 0.07, 0.10 )
Acute Myeloid Leukemia	0.31 ( 0.28, 0.33 )	0.16 ( 0.12, 0.22 )	0.27 ( 0.25, 0.28 )
Chronic Myeloid Leukemia	0.03 ( 0.02, 0.04 )	0.02 ( 0.01, 0.07 )	0.04 ( 0.03, 0.05 )

Devcan Version 6.7.7, April 2019, National Cancer Institute (<https://surveillance.cancer.gov/devcan/>).

Source: NCHS public use data file for the total US.

<sup>a</sup> Underlying mortality data for American Indian/Alaska Native are based on the PRCA (Purchased/Referred Care Delivery Areas) counties.

<sup>b</sup> Hispanic is not mutually exclusive from whites, blacks, Asian Pacific Islanders, and American Indians/Alaska Natives. A percent or confidence interval value of 0.00 represents a value that is below 0.005.

Table 1.18

Lifetime Risk (Percent) of Dying from Cancer by Site and Race/Ethnicity  
Males, Total U.S., 2014-2016

Site	All Races	Whites	Blacks
	Percent ( 95% C.I. )	Percent ( 95% C.I. )	Percent ( 95% C.I. )
All Sites	21.34 ( 21.30, 21.38 )	21.45 ( 21.40, 21.49 )	21.45 ( 21.32, 21.59 )
Oral Cavity and Pharynx	0.42 ( 0.41, 0.43 )	0.42 ( 0.41, 0.43 )	0.40 ( 0.38, 0.42 )
Esophagus	0.76 ( 0.75, 0.76 )	0.81 ( 0.80, 0.82 )	0.48 ( 0.46, 0.50 )
Stomach	0.45 ( 0.44, 0.45 )	0.39 ( 0.38, 0.40 )	0.75 ( 0.72, 0.78 )
Colon and Rectum	1.83 ( 1.82, 1.85 )	1.80 ( 1.78, 1.81 )	2.14 ( 2.09, 2.19 )
Liver and Intrahepatic Bile Duct	1.02 ( 1.01, 1.03 )	0.95 ( 0.94, 0.96 )	1.20 ( 1.17, 1.23 )
Pancreas	1.39 ( 1.38, 1.40 )	1.40 ( 1.39, 1.42 )	1.37 ( 1.34, 1.41 )
Larynx	0.19 ( 0.18, 0.19 )	0.18 ( 0.18, 0.19 )	0.28 ( 0.27, 0.30 )
Lung and Bronchus	5.49 ( 5.47, 5.51 )	5.54 ( 5.52, 5.56 )	5.45 ( 5.39, 5.53 )
Melanoma of the Skin	0.39 ( 0.38, 0.40 )	0.45 ( 0.44, 0.45 )	0.04 ( 0.03, 0.05 )
Breast	0.03 ( 0.03, 0.03 )	0.03 ( 0.03, 0.03 )	0.05 ( 0.04, 0.06 )
Prostate	2.44 ( 2.42, 2.46 )	2.29 ( 2.28, 2.31 )	3.94 ( 3.87, 4.02 )
Testis	0.02 ( 0.02, 0.02 )	0.02 ( 0.02, 0.02 )	0.01 ( 0.01, 0.02 )
Urinary Bladder	0.93 ( 0.92, 0.95 )	0.99 ( 0.98, 1.00 )	0.54 ( 0.51, 0.57 )
Kidney and Renal Pelvis	0.60 ( 0.60, 0.61 )	0.62 ( 0.61, 0.63 )	0.51 ( 0.49, 0.54 )
Brain and Other Nervous System	0.53 ( 0.53, 0.54 )	0.58 ( 0.57, 0.59 )	0.28 ( 0.26, 0.29 )
Thyroid	0.06 ( 0.06, 0.06 )	0.06 ( 0.06, 0.06 )	0.04 ( 0.03, 0.04 )
Hodgkin Lymphoma	0.04 ( 0.04, 0.04 )	0.04 ( 0.04, 0.04 )	0.03 ( 0.02, 0.04 )
Non-Hodgkin Lymphoma	0.81 ( 0.80, 0.82 )	0.85 ( 0.84, 0.86 )	0.46 ( 0.44, 0.48 )
Myeloma	0.47 ( 0.47, 0.48 )	0.45 ( 0.45, 0.46 )	0.70 ( 0.67, 0.73 )
Leukemia	0.96 ( 0.95, 0.97 )	1.01 ( 1.00, 1.02 )	0.65 ( 0.62, 0.67 )
Acute Lymphocytic Leukemia	0.05 ( 0.05, 0.05 )	0.05 ( 0.05, 0.05 )	0.03 ( 0.02, 0.03 )
Chronic Lymphocytic Leukemia	0.21 ( 0.21, 0.22 )	0.22 ( 0.22, 0.23 )	0.14 ( 0.13, 0.15 )
Acute Myeloid Leukemia	0.39 ( 0.38, 0.40 )	0.41 ( 0.40, 0.42 )	0.25 ( 0.23, 0.26 )
Chronic Myeloid Leukemia	0.05 ( 0.04, 0.05 )	0.05 ( 0.05, 0.05 )	0.03 ( 0.03, 0.04 )

Devcan Version 6.7.7, April 2019, National Cancer Institute (<https://surveillance.cancer.gov/devcan/>).  
Source: NCHS public use data file for the total US.  
A percent or confidence interval value of 0.00 represents a value that is below 0.005.

Table 1.18 - continued

Lifetime Risk (Percent) of Dying from Cancer by Site and Race/Ethnicity  
Males, Total U.S., 2014-2016

Site	Asian/Pacific Islanders	American Indian/ Alaska Natives <sup>a</sup>	Hispanics <sup>b</sup>
	Percent ( 95% C.I. )	Percent ( 95% C.I. )	Percent ( 95% C.I. )
All Sites	20.17 ( 19.85, 20.50 )	16.97 ( 16.36, 17.64 )	19.33 ( 19.12, 19.53 )
Oral Cavity and Pharynx	0.46 ( 0.42, 0.52 )	0.36 ( 0.28, 0.53 )	0.33 ( 0.30, 0.36 )
Esophagus	0.41 ( 0.37, 0.47 )	0.64 ( 0.52, 0.83 )	0.50 ( 0.46, 0.53 )
Stomach	1.16 ( 1.08, 1.26 )	0.60 ( 0.49, 0.79 )	0.84 ( 0.79, 0.89 )
Colon and Rectum	1.89 ( 1.78, 2.00 )	1.83 ( 1.63, 2.10 )	1.95 ( 1.88, 2.02 )
Liver and Intrahepatic Bile Duct	1.99 ( 1.90, 2.08 )	1.32 ( 1.17, 1.54 )	1.66 ( 1.61, 1.72 )
Pancreas	1.41 ( 1.32, 1.51 )	0.96 ( 0.82, 1.18 )	1.29 ( 1.24, 1.35 )
Larynx	0.10 ( 0.08, 0.13 )	0.17 ( 0.12, 0.33 )	0.20 ( 0.18, 0.22 )
Lung and Bronchus	5.02 ( 4.86, 5.19 )	3.90 ( 3.59, 4.27 )	3.45 ( 3.36, 3.54 )
Melanoma of the Skin	0.06 ( 0.04, 0.09 )	0.10 ( 0.05, 0.25 )	0.13 ( 0.11, 0.16 )
Breast	0.02 ( 0.01, 0.05 )	0.00 ( 0.00, 0.15 )	0.02 ( 0.02, 0.04 )
Prostate	2.18 ( 2.04, 2.33 )	2.20 ( 1.91, 2.56 )	2.76 ( 2.66, 2.86 )
Testis	0.01 ( 0.00, 0.03 )	0.03 ( 0.02, 0.18 )	0.03 ( 0.02, 0.04 )
Urinary Bladder	0.73 ( 0.65, 0.83 )	0.44 ( 0.33, 0.63 )	0.65 ( 0.60, 0.70 )
Kidney and Renal Pelvis	0.44 ( 0.39, 0.49 )	0.75 ( 0.63, 0.95 )	0.69 ( 0.65, 0.74 )
Brain and Other Nervous System	0.32 ( 0.29, 0.37 )	0.22 ( 0.16, 0.37 )	0.41 ( 0.38, 0.44 )
Thyroid	0.08 ( 0.06, 0.11 )	0.04 ( 0.02, 0.19 )	0.08 ( 0.07, 0.09 )
Hodgkin Lymphoma	0.03 ( 0.02, 0.05 )	0.02 ( 0.01, 0.17 )	0.06 ( 0.05, 0.07 )
Non-Hodgkin Lymphoma	0.85 ( 0.78, 0.93 )	0.57 ( 0.44, 0.78 )	0.83 ( 0.78, 0.88 )
Myeloma	0.31 ( 0.28, 0.36 )	0.35 ( 0.24, 0.55 )	0.47 ( 0.45, 0.51 )
Leukemia	0.72 ( 0.66, 0.78 )	0.48 ( 0.39, 0.66 )	0.80 ( 0.75, 0.85 )
Acute Lymphocytic Leukemia	0.04 ( 0.03, 0.06 )	0.04 ( 0.02, 0.19 )	0.07 ( 0.06, 0.09 )
Chronic Lymphocytic Leukemia	0.06 ( 0.04, 0.08 )	0.03 ( 0.01, 0.18 )	0.11 ( 0.09, 0.14 )
Acute Myeloid Leukemia	0.38 ( 0.34, 0.43 )	0.19 ( 0.13, 0.34 )	0.31 ( 0.29, 0.34 )
Chronic Myeloid Leukemia	0.03 ( 0.02, 0.06 )	0.03 ( 0.01, 0.18 )	0.06 ( 0.05, 0.08 )

Devcan Version 6.7.7, April 2019, National Cancer Institute (<https://surveillance.cancer.gov/devcan/>).

Source: NCHS public use data file for the total US.

<sup>a</sup> Underlying mortality data for American Indian/Alaska Native are based on the PRCDA (Purchased/Referred Care Delivery Areas) counties.

<sup>b</sup> Hispanic is not mutually exclusive from whites, blacks, Asian Pacific Islanders, and American Indians/Alaska Natives. A percent or confidence interval value of 0.00 represents a value that is below 0.005.

Table 1.19

Lifetime Risk (Percent) of Dying from Cancer by Site and Race/Ethnicity  
Females, Total U.S., 2014-2016

Site	All Races		Whites		Blacks	
	Percent	( 95% C.I. )	Percent	( 95% C.I. )	Percent	( 95% C.I. )
All Sites	18.37	( 18.33, 18.41 )	18.52	( 18.48, 18.56 )	18.48	( 18.37, 18.60 )
Oral Cavity and Pharynx	0.19	( 0.18, 0.19 )	0.19	( 0.18, 0.19 )	0.15	( 0.14, 0.16 )
Esophagus	0.20	( 0.20, 0.20 )	0.20	( 0.20, 0.21 )	0.19	( 0.18, 0.21 )
Stomach	0.30	( 0.30, 0.31 )	0.26	( 0.26, 0.27 )	0.47	( 0.45, 0.49 )
Colon and Rectum	1.68	( 1.67, 1.69 )	1.65	( 1.63, 1.66 )	1.94	( 1.90, 1.98 )
Liver and Intrahepatic Bile Duct	0.54	( 0.53, 0.54 )	0.51	( 0.50, 0.52 )	0.57	( 0.55, 0.59 )
Pancreas	1.35	( 1.34, 1.36 )	1.34	( 1.32, 1.35 )	1.52	( 1.48, 1.56 )
Larynx	0.05	( 0.04, 0.05 )	0.05	( 0.04, 0.05 )	0.06	( 0.05, 0.07 )
Lung and Bronchus	4.50	( 4.48, 4.52 )	4.67	( 4.65, 4.69 )	3.77	( 3.71, 3.82 )
Melanoma of the Skin	0.19	( 0.19, 0.20 )	0.22	( 0.22, 0.23 )	0.04	( 0.03, 0.04 )
Breast	2.57	( 2.55, 2.58 )	2.53	( 2.52, 2.55 )	3.08	( 3.03, 3.13 )
Cervix Uteri	0.22	( 0.22, 0.22 )	0.21	( 0.20, 0.21 )	0.33	( 0.32, 0.35 )
Corpus and Uterus, NOS	0.63	( 0.62, 0.63 )	0.58	( 0.58, 0.59 )	1.01	( 0.98, 1.04 )
Ovary	0.88	( 0.87, 0.89 )	0.91	( 0.91, 0.92 )	0.70	( 0.68, 0.73 )
Urinary Bladder	0.35	( 0.34, 0.35 )	0.35	( 0.34, 0.36 )	0.34	( 0.32, 0.36 )
Kidney and Renal Pelvis	0.33	( 0.32, 0.33 )	0.34	( 0.33, 0.34 )	0.29	( 0.28, 0.31 )
Brain and Other Nervous System	0.42	( 0.41, 0.43 )	0.46	( 0.45, 0.46 )	0.24	( 0.23, 0.25 )
Thyroid	0.07	( 0.07, 0.07 )	0.07	( 0.07, 0.07 )	0.08	( 0.07, 0.09 )
Hodgkin Lymphoma	0.03	( 0.03, 0.03 )	0.03	( 0.03, 0.03 )	0.02	( 0.02, 0.03 )
Non-Hodgkin Lymphoma	0.64	( 0.63, 0.65 )	0.67	( 0.66, 0.68 )	0.40	( 0.38, 0.42 )
Myeloma	0.38	( 0.37, 0.39 )	0.35	( 0.34, 0.35 )	0.68	( 0.66, 0.71 )
Leukemia	0.68	( 0.68, 0.69 )	0.71	( 0.70, 0.72 )	0.53	( 0.51, 0.55 )
Acute Lymphocytic Leukemia	0.04	( 0.03, 0.04 )	0.04	( 0.04, 0.04 )	0.03	( 0.02, 0.03 )
Chronic Lymphocytic Leukemia	0.14	( 0.13, 0.14 )	0.15	( 0.14, 0.15 )	0.10	( 0.09, 0.11 )
Acute Myeloid Leukemia	0.28	( 0.28, 0.29 )	0.30	( 0.29, 0.30 )	0.21	( 0.20, 0.22 )
Chronic Myeloid Leukemia	0.03	( 0.03, 0.04 )	0.04	( 0.03, 0.04 )	0.03	( 0.02, 0.03 )

Devcan Version 6.7.7, April 2019, National Cancer Institute (<https://surveillance.cancer.gov/devcan/>).  
Source: NCHS public use data file for the total US.  
A percent or confidence interval value of 0.00 represents a value that is below 0.005.

Table 1.19 - continued

Lifetime Risk (Percent) of Dying from Cancer by Site and Race/Ethnicity  
Females, Total U.S., 2014-2016

Site	Asian/Pacific Islanders	American Indian/ Alaska Natives <sup>a</sup>	Hispanics <sup>b</sup>
	Percent ( 95% C.I. )	Percent ( 95% C.I. )	Percent ( 95% C.I. )
All Sites	16.14 ( 15.88, 16.40 )	15.12 ( 14.54, 15.75 )	15.51 ( 15.34, 15.67 )
Oral Cavity and Pharynx	0.22 ( 0.19, 0.26 )	0.17 ( 0.10, 0.30 )	0.15 ( 0.14, 0.18 )
Esophagus	0.13 ( 0.11, 0.16 )	0.14 ( 0.09, 0.26 )	0.14 ( 0.12, 0.16 )
Stomach	0.85 ( 0.78, 0.92 )	0.43 ( 0.33, 0.59 )	0.64 ( 0.60, 0.67 )
Colon and Rectum	1.75 ( 1.65, 1.85 )	1.49 ( 1.30, 1.72 )	1.55 ( 1.49, 1.61 )
Liver and Intrahepatic Bile Duct	1.08 ( 1.01, 1.15 )	0.87 ( 0.73, 1.06 )	0.98 ( 0.94, 1.03 )
Pancreas	1.46 ( 1.37, 1.54 )	1.06 ( 0.88, 1.28 )	1.30 ( 1.26, 1.35 )
Larynx	0.02 ( 0.01, 0.04 )	0.01 ( 0.00, 0.11 )	0.02 ( 0.01, 0.03 )
Lung and Bronchus	3.30 ( 3.18, 3.42 )	3.47 ( 3.20, 3.79 )	2.22 ( 2.16, 2.29 )
Melanoma of the Skin	0.07 ( 0.05, 0.09 )	0.05 ( 0.02, 0.16 )	0.08 ( 0.07, 0.10 )
Breast	1.73 ( 1.65, 1.82 )	1.79 ( 1.57, 2.06 )	2.07 ( 2.01, 2.14 )
Cervix Uteri	0.23 ( 0.20, 0.26 )	0.23 ( 0.17, 0.34 )	0.30 ( 0.28, 0.33 )
Corpus and Uterus, NOS	0.47 ( 0.43, 0.51 )	0.39 ( 0.29, 0.54 )	0.57 ( 0.54, 0.60 )
Ovary	0.68 ( 0.63, 0.73 )	0.73 ( 0.61, 0.90 )	0.74 ( 0.71, 0.78 )
Urinary Bladder	0.24 ( 0.21, 0.29 )	0.27 ( 0.18, 0.43 )	0.28 ( 0.25, 0.30 )
Kidney and Renal Pelvis	0.22 ( 0.19, 0.26 )	0.42 ( 0.33, 0.57 )	0.39 ( 0.36, 0.42 )
Brain and Other Nervous System	0.30 ( 0.27, 0.34 )	0.24 ( 0.17, 0.37 )	0.35 ( 0.32, 0.37 )
Thyroid	0.13 ( 0.11, 0.16 )	0.03 ( 0.01, 0.13 )	0.13 ( 0.11, 0.15 )
Hodgkin Lymphoma	0.02 ( 0.01, 0.04 )	0.02 ( 0.00, 0.12 )	0.05 ( 0.04, 0.06 )
Non-Hodgkin Lymphoma	0.63 ( 0.57, 0.68 )	0.43 ( 0.33, 0.58 )	0.65 ( 0.62, 0.69 )
Myeloma	0.25 ( 0.22, 0.29 )	0.38 ( 0.29, 0.53 )	0.38 ( 0.35, 0.40 )
Leukemia	0.48 ( 0.43, 0.53 )	0.31 ( 0.23, 0.45 )	0.56 ( 0.53, 0.59 )
Acute Lymphocytic Leukemia	0.05 ( 0.03, 0.08 )	0.06 ( 0.03, 0.15 )	0.06 ( 0.05, 0.07 )
Chronic Lymphocytic Leukemia	0.03 ( 0.02, 0.05 )	0.03 ( 0.01, 0.14 )	0.06 ( 0.05, 0.07 )
Acute Myeloid Leukemia	0.25 ( 0.22, 0.29 )	0.12 ( 0.08, 0.23 )	0.23 ( 0.21, 0.25 )
Chronic Myeloid Leukemia	0.02 ( 0.01, 0.04 )	0.01 ( 0.00, 0.11 )	0.02 ( 0.02, 0.03 )

Devcan Version 6.7.7, April 2019, National Cancer Institute (<https://surveillance.cancer.gov/devcan/>).

Source: NCHS public use data file for the total US.

<sup>a</sup> Underlying mortality data for American Indian/Alaska Native are based on the PRCDA (Purchased/Referred Care Delivery Areas) counties.

<sup>b</sup> Hispanic is not mutually exclusive from whites, blacks, Asian Pacific Islanders, and American Indians/Alaska Natives. A percent or confidence interval value of 0.00 represents a value that is below 0.005.