

Table I-10
SEER INCIDENCE AND U.S. MORTALITY TRENDS BY PRIMARY CANCER SITE AND SEX
 Blacks, 1992-2000

Site	Incidence ^a			US Mortality ^b		
	Total APC	Males APCAPC	Females APC	Total APC	Males APC	Females APC
All Sites	-1.0 ^c	-1.9 ^c	-0.1	-1.3 ^c	-1.8 ^c	-0.7 ^c
Oral Cavity & Pharynx:	-3.2 ^c	-3.2 ^c	-2.6	-4.0 ^c	-4.2 ^c	-3.1 ^c
Lip	-2.0	-	-	-	-	-
Tongue	-2.7	-4.0	0.5	-5.8 ^c	-5.9 ^c	-5.6 ^c
Salivary gland	-1.5	-0.9	-0.9	-1.0	-2.7	1.8
Floor of mouth	-5.4	-6.0	-2.1	-9.0 ^c	-9.1 ^c	-8.0 ^c
Gum & other oral cavity	-4.2 ^c	-5.0	-2.2	-5.5 ^c	-5.5 ^c	-4.5
Nasopharynx	-1.9	-2.0	-0.6	0.1	-1.9	4.1
Tonsil	-0.3	1.0	-2.2	-5.2 ^c	-5.6 ^c	-3.3
Oropharynx	-0.5	0.5	-4.1	-1.8	-1.4	-3.1
Hypopharynx	-6.6 ^c	-5.7	-8.4 ^c	-5.6 ^c	-6.2 ^c	-2.6
Other oral cavity & pharynx	-5.2 ^c	-2.5	-	-2.5 ^c	-2.3 ^c	-2.4
Digestive System:	-0.6 ^c	-0.9 ^c	-0.2	-1.1 ^c	-1.4 ^c	-0.9 ^c
Esophagus	-5.3 ^c	-6.4 ^c	-3.1 ^c	-4.2 ^c	-4.6 ^c	-3.2 ^c
Stomach	-1.0	-2.0	0.5	-2.3 ^c	-2.5 ^c	-1.9 ^c
Small intestine	3.3 ^c	1.9	5.6 ^c	-1.2	-1.2	-1.1
Colon & Rectum:	-0.2	-0.4	0.1	-0.6 ^c	-0.6 ^c	-0.7 ^c
Colon	-0.1	-0.3	0.1	-0.5 ^c	-0.6	-0.5 ^c
Rectum	-0.4	-0.7	0.0	-1.3 ^c	-0.8	-2.0 ^c
Anus, anal canal & anorectum	0.1	-0.1	0.2	-0.9	-1.4	-1.7
Liver & Intrahep:	3.5 ^c	4.3 ^c	2.3	1.4 ^c	1.6	0.8
Liver	3.7 ^c	4.4 ^c	2.6	1.0	1.4	-0.3
Intrahep bile duct	0.8	3.6	-0.3	4.8 ^c	3.1	6.5 ^c
Gallbladder	-0.7	-3.0	0.2	-0.8	0.2	-1.1
Other biliary	-1.2	-1.2	-1.7	-2.8 ^c	-0.8	-3.7 ^c
Pancreas	-1.8 ^c	-1.0 ^c	-2.7 ^c	-0.9 ^c	-1.4 ^c	-0.7 ^c
Retroperitoneum	-3.5	3.5	-5.0	-4.0	4.0	-8.9
Peritoneum, omentum & mesentery	7.7	-	7.4	6.9 ^c	4.2	7.6 ^c
Other digestive system	3.0	-0.4	6.5	7.0	7.3	7.5
Respiratory System:	-1.5 ^c	-2.6 ^c	0.6	-1.4 ^c	-2.4 ^c	0.6 ^c
Nose, nasal cavity & middle ear	-2.6	-2.7	-2.6	-5.3 ^c	-7.4 ^c	-4.0
Larynx	-3.3 ^c	-3.4 ^c	-2.3	-2.5 ^c	-2.5 ^c	-2.5 ^c
Lung & bronchus	-1.4 ^c	-2.5 ^c	0.8	-1.3 ^c	-2.4 ^c	0.8 ^c
Pleura	-3.5	-4.5	0.8	-5.1 ^c	-6.5 ^c	-0.6
Trachea & other respiratory organs	8.0	10.8	9.5	-8.5 ^c	-5.2	-12.6 ^c
Bones & joints	-3.0	-2.2	-5.3	-4.0	-3.6	-5.5
Soft tissue (incl heart)	1.3	1.4	1.8	-2.4	0.6	-4.0 ^c
Skin (ex basal & squam):	-6.4 ^c	-8.0 ^c	0.9	-3.8 ^c	-3.8 ^c	-3.4
Melanoma of the skin	1.8	6.0	-1.1	0.1	1.3	-0.5
Other non-epithelial skin	-8.5 ^c	-10.9 ^c	2.2	-6.3 ^c	-5.8 ^c	-7.2 ^c
Breast	0.2	6.9	0.2	-1.0 ^c	1.3	-1.1 ^c
Breast (in situ)	7.3 ^c	-	7.3 ^c	-	-	-

^a The APC is the Annual Percent Change over the time interval.

SEER 12 areas. Rates are per 100,000 and are age-adjusted to the 2000 U. S. standard population by 5-year age groups.

^b NCHS public use data file. Rates are per 100,000 and are age-adjusted to the 2000 U. S. standard population by 5-year age groups.

^c The APC is significantly different from zero ($p<.05$).

- Statistic could not be calculated.

Table I-10 - continued
 SEER INCIDENCE AND U.S. MORTALITY TRENDS BY PRIMARY CANCER SITE AND SEX
 Blacks, 1992-2000

Site	Incidence ^a			US Mortality ^b		
	Total APC	Males APC	Females APC	Total APC	Males APC	Females APC
Female Genital System:	-1.1	-	-1.0	-1.9 ^c	-	-1.9 ^c
Cervix uteri	-2.7 ^c	-	-2.7 ^c	-4.8 ^c	-	-4.8 ^c
Corpus uteri	0.3	-	0.4	-1.0	-	-1.0
Uterus, NOS	-2.7	-	-3.2	0.7	-	0.8
Ovary	-0.7	-	-0.7	-1.3 ^c	-	-1.2 ^c
Vagina	-2.2	-	-2.1	-2.6	-	-2.7
Vulva	-2.0	-	-1.8	-3.8	-	-3.9
Other female genital system	-4.3	-	-3.3	3.8	-	3.6
Male Genital System:	-1.7 ^c	-2.2 ^c	-	-2.3 ^c	-2.1 ^c	-
Prostate	-1.8 ^c	-2.3 ^c	-	-2.3 ^c	-2.1 ^c	-
Testis	7.5 ^c	7.9 ^c	-	2.5	2.5	-
Penis	-2.0	-1.1	-	-6.2 ^c	-6.7 ^c	-
Other male genital system	-	-	-	3.6	6.1	-
Urinary System:	0.9	0.5	1.8	-0.7 ^c	-0.8 ^c	-0.7
Urinary bladder	0.3	0.2	0.8	-1.5 ^c	-1.8 ^c	-1.1
Kidney & renal pelvis	1.8	1.0	3.1	0.2	0.4	-0.2
Ureter	-1.3	2.2	0.7	-5.8 ^c	-10.3 ^c	-2.1
Other urinary system	-3.6 ^c	-2.0	-4.2	-3.8	-4.3	-3.2
Eye & Orbit	-1.9	-0.5	-2.1	5.7	10.4	4.4
Brain & Nervous System: ^d	0.0	1.2	-0.9	-0.3	-0.6	-0.3
Brain	0.1	1.4	-1.2	-	-	-
Cranial nerves & other nervous system	-0.6	0.5	0.0	-	-	-
Endocrine System:	2.4 ^c	-1.1	3.6 ^c	0.8	0.3	1.2
Thyroid	3.1 ^c	-0.9	4.3 ^c	2.2	3.3	1.7
Other endocrine & thymus	-1.4	-2.2	-1.0	-0.9	-2.0	0.4
Lymphoma:	0.2	-1.1	2.2	-0.5	-0.6	-0.3
Hodgkin lymphoma	-0.7	0.9	-2.5	-5.0 ^c	-5.8 ^c	-4.2 ^c
Non-Hodgkin lymphoma	0.4	-1.4	3.2 ^c	-0.1	-0.1	0.0
Myeloma	-1.8	-2.1	-1.6	-0.2	-0.8	0.3
Leukemia:	-1.0	-0.9	-0.9	-1.0 ^c	-0.9	-0.8
Lymphocytic:	-2.6	-2.4	-2.5	-2.1 ^c	-2.4 ^c	-1.2
Acute lymphocytic	-0.6	0.1	-1.8	-2.9	-2.5	-3.4
Chronic lymphocytic	-3.4	-2.7	-3.5	-1.9	-2.6 ^c	-0.4
Other lymphocytic	0.2	-3.7	-	-1.5	-0.3	-2.9
Myeloid & Monocytic:	1.7	2.4	1.0	0.1	0.4	-0.2
Acute myeloid	4.1 ^c	6.5 ^c	1.8	2.0 ^c	2.1 ^c	1.8 ^c
Chronic myeloid	-3.2	-4.1	-2.3	-4.2 ^c	-3.8	-4.7 ^c
Acute monocytic	4.8	8.2	-	-8.7	-	-4.6
Other myeloid & monocytic	5.6	-	11.9 ^c	7.6 ^c	9.6	4.3
Other:	-8.1 ^c	-11.2	-5.6	-1.5 ^c	-0.9	-1.5
Other acute	-7.9 ^c	-9.2	-10.2	-3.2 ^c	-3.2 ^c	-2.6
Aleukemic, subleuk & NOS	-8.0 ^c	-13.3	-0.5	-0.2	0.7	-0.6
Ill-defined & unspecified	-3.9 ^c	-3.1 ^c	-4.5 ^c	-0.5	-0.4	-0.4

^a The APC is the Annual Percent Change over the time interval.

SEER 12 areas. Rates are per 100,000 and are age-adjusted to the 2000 U. S. standard population by 5-year age groups.

^b NCHS public use data file. Rates are per 100,000 and are age-adjusted to the 2000 U. S. standard population by 5-year age groups.

^c The APC is significantly different from zero ($p<.05$).

^d Due to coding changes, Brain & Nervous System mortality are no longer shown separately.

- Statistic could not be calculated.