

**ICD-10 Casefinding List, 2014**  
**(Based on US ICD-10 Cause of Death List)**

<b>COMPREHENSIVE ICD-10 Casefinding Code List for Reportable Tumors</b> <b>(EFFECTIVE DATES: 1/1/2014-12/31/2014)</b>	
<b>Please refer to your standard setter(s) for specific reporting requirements before using the Casefinding List</b>	
<b>ICD-10^ Code</b>	<b>Explanation of Code</b>
<b>B21._</b>	Human Immunodeficiency virus [HIV] disease with malignant neoplasms
<b>C00._ – C97._</b>	Malignant neoplasms <i>Note: Pilocytic/juvenile astrocytoma M-9421 moved from behavior /3 (malignant) to /1 (borderline malignancy) in ICD-O-3. However, SEER registries will CONTINUE to report these cases and code behavior as /3 (malignant).</i>
<b>D00._ – D09._</b>	In-situ neoplasms <i>Note: Carcinoma in situ of the cervix (CIN III-8077/2) and Prostatic Intraepithelial Carcinoma (PIN III-8148/2) are not reportable.</i>
<b>D18.0</b>	Hemangioma, any site <i>Note: Includes Hemangiomas of Brain, Other parts of nervous system and endocrine glands, which are reportable.</i>
<b>D18.1</b>	Lymphangioma, any site <i>Note: Includes Lymphangiomas of Brain, Other parts of nervous system and endocrine glands, which are reportable.</i>
<b>D32._</b>	Benign neoplasm of meninges (cerebral, spinal and unspecified)
<b>D33._</b>	Benign neoplasm of brain and other parts of central nervous system
<b>D35.2</b>	Benign neoplasm of pituitary gland
<b>D35.3</b>	Benign neoplasm of craniopharyngeal duct
<b>D35.4</b>	Benign neoplasm of pineal gland
<b>D42._</b>	Neoplasm of uncertain or unknown behavior of meninges
<b>D43._</b>	Neoplasm of uncertain or unknown behavior of brain and central nervous system
<b>D44.3 – D44.5</b>	Neoplasm of uncertain or unknown behavior of pituitary gland, craniopharyngeal duct and pineal gland
<b>D45</b>	Polycythemia vera (9950/3)
<b>D46._</b>	Myelodysplastic syndromes (9980, 9982, 9983, 9985, 9986, 9989, 9991, 9992)
<b>D47.1</b>	Chronic myeloproliferative disease (9960/3, 9961/3, 9963/3)
<b>D47.3</b>	Essential (hemorrhagic) thrombocythemia (9962/3)
<b>D47.7</b>	Other specified neoplasms of uncertain/unknown behavior of lymphoid, hematopoietic (9965/3, 9966/3, 9967/3, 9971/3, 9975/3, 9987/3)
<b>D47.9</b>	Neoplasm of uncertain behavior of lymphoid, hematopoietic and related tissue, unspecified (9960/3, 9961/3, 9970/1, 9931/3)
<b>D48.9</b>	Neoplasm of uncertain or unknown behavior, unspecified <i>Note: Review code for uncertain behavior brain, CNS tumors and reportable benign endocrine glands</i>

**ICD-10 Casefinding List, 2014**  
**(Based on US ICD-10 Cause of Death List)**

**NOTE: Cases with these codes should be screened as registry time allows. Experience in the SEER registries has shown that using the supplemental list increases casefinding for benign brain and CNS, hematopoietic neoplasms, and other reportable diseases.**

<b>SUPPLEMENTAL LIST ICD-10</b> <b>(EFFECTIVE DATES: 1/1/2014-12/31/2014)</b>	
<b>ICD-10^ Code</b>	<b>Explanation of Code</b>
<b>B20._, B22 – B24</b>	Human immunodeficiency virus [HIV] disease with other diseases <i>Note: Excludes HIV with malignancy (B21), see reportable list</i>
<b>B99</b>	Other infectious diseases (Human papillomavirus, Retrovirus-HTLV types I, II, 2)
<b>D10._ – D31._, D34, D35.0, D35.1, D35.5 – D35.9, D36._</b>	Benign neoplasms (see “must collect” list for reportable benign neoplasms) <i>Note: Screen for incorrectly coded malignancies or reportable by agreement tumors</i> <i>Note: Borderline cystadenomas M-8442, 8451, 8462, 8472, 8473, of the ovaries moved from behavior /3 (malignant) to /1 (borderline malignancy) in ICD-O-3. SEER registries are not required to collect these cases for diagnoses made 1/1/2001 and after. However, cases diagnosed prior to 1/1/2001 should still be abstracted and reported to SEER.</i>
<b>D37._ – D41._</b>	Neoplasms of uncertain or unknown behavior (see “must collect” list for reportable neoplasms of uncertain or unknown behavior) <i>Note: Screen for incorrectly coded malignancies or reportable by agreement tumors</i>
<b>D44.0 – D44.2, D44.6 – D44.9</b>	Neoplasm of uncertain or unknown behavior of other endocrine glands (see “must collect” list for D44.3-D44.5) <i>Note: Screen for incorrectly coded malignancies or reportable by agreement tumors</i>
<b>D47.0</b>	Histiocytic and mast cell tumors of uncertain behavior
<b>D47.2</b>	Monoclonal gammopathy <i>Note: Screen for incorrectly coded Waldenstrom’s macroglobulinemia</i>
<b>D48._</b>	Neoplasms of uncertain or unknown behavior <i>Note: Screen for incorrectly coded malignancies or reportable by agreement tumors</i>
<b>D61.8</b>	Other specified aplastic anemias (drug induced pancytopenia)
<b>D64.8</b>	Other specified anemias <i>Note: Includes anemia due to neoplastic disease or antineoplastic chemotherapy</i>
<b>D69.4 – D69.6</b>	Other thrombocytopenia <i>Note: Screen for incorrectly coded thrombocythemia</i>
<b>D70</b>	Agranulocytosis ( <i>Note: Screen for blood disorders due to neoplasm</i> )
<b>D72.1</b>	Eosinophilia ( <i>Note: Code for eosinophilia (9964/3). Not every case of eosinophilia is with a malignancy. Diagnosis must be “Hypereosonophilic syndrome” to be reportable.</i> )
<b>D76._</b>	Certain diseases involving lymphoreticular tissue and reticulohistiocytic system
<b>D89.0, D89.1</b>	Hypergammaglobulinemia & Cryoglobulinemia
<b>E34.0</b>	Carcinoid syndrome
<b>E83.5</b>	Disorders of calcium metabolism (hypercalcemia)
<b>E88.0</b>	Disorders of plasma-protein metabolism, not elsewhere classified <i>Note: Screen for incorrectly coded Waldenstrom’s macroglobulinemia</i>
<b>E88.8</b>	Other specified metabolic disorders (Tumor lysis syndrome)
<b>K22.8</b>	Other specified diseases of esophagus (high grade dysplasia of esophagus)
<b>K62.8</b>	Other specified diseases of anus and rectum ( <i>AIN I, AIN II</i> )
<b>K92.8</b>	Other specified diseases of digestive system (mucositis due to cancer therapy)

**ICD-10 Casefinding List, 2014**  
**(Based on US ICD-10 Cause of Death List)**

<b>SUPPLEMENTAL LIST ICD-10</b> <b>(EFFECTIVE DATES: 1/1/2014-12/31/2014)</b>	
<b>ICD-10^ Code</b>	<b>Explanation of Code</b>
<b>N42.9</b>	Disorder of prostate (PIN I and PIN II)
<b>N87._</b>	Dysplasia of cervix ( <i>CIN I and CIN II</i> )
<b>N89.0-N89.3</b>	Dysplasia of vagina ( <i>VAIN I and VAIN II</i> )
<b>N90.0-N90.3</b>	Dysplasia of vulva ( <i>VIN I and VIN II</i> )
<b>O01._</b>	Hydatidiform mole ( <i>Note: benign tumor that can become malignant. If malignant, it should be reported as Choriocarcinoma (9100/3) with malignancy code in c00-c97</i> )
<b>Q85.0</b>	Neurofibromatosis (nonmalignant) (9540/1) ( <i>Note: Neurofibromatosis by itself is not reportable, but it can lead to a reportable condition</i> )
<b>R18</b>	Ascites (malignant)
<b>R52.9</b>	Pain, unspecified (neoplasm related pain, cancer associated pain)
<b>R53</b>	Malaise and fatigue (neoplasm related fatigue)
<b>R59._</b>	Enlarged lymph nodes
<b>R85.6</b>	Abnormal findings on cytological/histological exam of digestive organs
<b>R87.6</b>	Abnormal findings on cytological/histological exam of female genital organs
<b>R92</b>	Abnormal findings on diagnostic imaging of breast
<b>Y42.1</b>	Other and unspecified hormone antagonists (poisoning)
<b>Y42.6</b>	Adverse reaction to antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified
<b>Y43.1 – Y43.4</b>	Adverse effects in therapeutic use, antineoplastic products or drugs
<b>Y43.9</b>	Adverse effects in therapeutic use, primarily systemic agent, unspecified <i>Note: Includes poisoning by primarily systemic and hematological agents</i>
<b>Y63.2</b>	Failure in dosage, overdose of radiation given during therapy <i>Note: Includes adverse reaction to radiation</i>
<b>Y84.2</b>	Abnormal reaction, radiological procedure and radiotherapy (radiation sickness)
<b>Y84.9</b>	Other medical procedures (abnormal reactions, complications from central venous catheters)

**^ World Health Organization. International Statistical Classification of Diseases and Related Health problems, Tenth Revision. Geneva: World Health Organization. 2007**